



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Interaction Concentrator Physical Data Model for a Microsoft SQL Database

Table GS\_AGENT\_STAT\_WM

## Table GS\_AGENT\_STAT\_WM

This table contains the duration of agent workmode metrics. The unique identifier of the record is the combination of the LoginSessionID, EndPointID, and QueueID fields. Whether ICON writes to this table is determined by the setting of one or more configuration options in the **[filter-data]** section.

### Tip

To assist you in preparing supplementary documentation, click the following link to download a comma-separated text file containing information such as the data types and descriptions for all columns in this table: [Download a CSV file](#).

**Hint:** For easiest viewing, open the downloaded CSV file in Excel and adjust settings for column widths, text wrapping, and so on as desired. Depending on your browser and other system settings, you might need to save the file to your desktop first.

## Column List

### Legend

Column	Data Type	P	M	F	Description
ID	numeric(16)	X	X		The unique, autonumbered ID of this record.
LoginSessionID	varchar(50)		X		The agent's login session ID (GUID). Same as G_LOGIN_SESSION.LOGINSESS
EndPointID	int		X		The DBID of the agent's endpoint (DN) configuration object in Configuration Server. This value is 0 for interactions originating from Interaction Server. In a SIP

Table GS\_AGENT\_STAT\_WM

Column	Data Type	P	M	F	Description
					Cluster environment, the value for this field is 0.
QueueID	int				The DBID of the queue (ACDQ) configuration object in Configuration Server, where the agent logged in. A value of NULL indicates that no queue is specified for this record.
AgentID	int				The DBID of the agent (person) configuration object in Configuration Server. This value is NULL if a Person object is not configured.
State	int				The Agent's state: Login, ready, notready, ACW, or busy.
Duration_UNKNOWN	int				The duration of the agent's state during the agent's login session with a workmode of UNKNOWN.
Duration_AUX	int				The duration of the agent's state during the agent's login session with a workmode of AuxWork.
Duration_LegalGuard	int				The duration of the agent's state during

Table GS\_AGENT\_STAT\_WM

Column	Data Type	P	M	F	Description
					the agent's login session with a workmode of LegalGuard.
Duration_GoAway	int				The duration of the agent's state during the agent's login session with a workmode of Goaway.
Duration_ReturnBack					The duration of the agent's state during the agent's login session with a workmode of returnback.
LastChange	datetime				The GMT-equivalent date and time when the record was created or updated. This value is taken from the T-Server event that produces the update of this metric. If the update of the agent's metrics during login session is disabled, then this value will be the same as that in the ADDED field.
LastChange_ts	int				The UTC-equivalent value of the LASTCHANGE field.
LastChange_tcode	int				A reference, derived from the value of the LASTCHANGE_TS

Table GS\_AGENT\_STAT\_WM

Column	Data Type	P	M	F	Description
					field, to a record in the G_TIMECODE table.
Added	datetime				The GMT-equivalent date and time when the record was inserted. This value is taken from the last T-Server event related to the agent's login session.
Added_ts	int				The UTC-equivalent value of the ADDED field.
Added_tcode	int				A reference, derived from the value of the ADDED_TS field, to a record in the G_TIMECODE table.
GSYS_DOMAIN	int				Contains the data source session ID (DSS_ID) for the session that was active when the data was processed by ICON. For more information, see the description in System Fields (for <a href="#">DB2</a> , <a href="#">Microsoft SQL Server</a> , <a href="#">Oracle</a> , or <a href="#">PostgreSQL</a> , respectively).
GSYS_PARTITION	int				A key that is used for partitioning.
GSYS_SYS_ID	int				System ID. Reserved for

Table GS\_AGENT\_STAT\_WM

Column	Data Type	P	M	F	Description
					future use.
GSYS_SEQ	bigint				Insert Sequence. Not unique.
GSYS_USEQ	bigint				Update Sequence. Not unique.
GSYS_TS	datetime				Reserved
GSYS_TC	int				Reserved
GSYS_EXT_VCH1	varchar(255)				<p>A string value with the name of the media type for a 3rd Party Media interaction, as reported by Interaction Server.</p> <p>When the field GSYS_EXT_INT1 indicates that this is a 3rd Party Media interaction (1000—Open Media), the stored string is the name of the media type. For example, "fax". In a SIP Cluster environment, records the DN name.</p>
GSYS_EXT_VCH2	varchar(255)				Reserved
GSYS_EXT_INT1	int				<p>The media type of this interaction. One of the following values:</p> <ul style="list-style-type: none"> <li>• 0—Unknown. Reserved for when ICON is unable to determine media type.</li> <li>• 1—Voice.</li> <li>• 2—Email.</li> </ul>

Table GS\_AGENT\_STAT\_WM

Column	Data Type	P	M	F	Description
					<ul style="list-style-type: none"> <li>• 3—Chat.</li> <li>• 1000—Open Media.</li> </ul> #DICTIONARY TYPE 6
GSYS_EXT_INT2	int				Reserved