



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Interaction Concentrator Physical Data Model for a PostgreSQL Database

Table GC_FIELD

Table GC_FIELD

This table stores information about the configuration of Field objects.

Tip

To assist you in preparing supplementary documentation, click the following link to download a comma-separated text file containing information such as the data types and descriptions for all columns in this table: [Download a CSV file](#).

Hint: For easiest viewing, open the downloaded CSV file in Excel and adjust settings for column widths, text wrapping, and so on as desired. Depending on your browser and other system settings, you might need to save the file to your desktop first.

Column List

Legend

Column	Data Type	P	M	F	Description
ID	integer	X	X		The DBID of the Field object. This is the primary key.
Name	varchar(255)		X		The name of the object.
TenantID	integer		X	X	The DBID of the Tenant to which this object belongs.
FolderID	integer				The DBID of the Folder for the object.
Description	varchar(255)				Free format description.
DataType	integer		X		The data type of field in the database. This corresponds to CfgDataType enumeration in

Table GC_FIELD

Column	Data Type	P	M	F	Description
					<p>Configuration Server. One of the following values:</p> <ul style="list-style-type: none"> • 0—Unknown Data Type • 1—int • 2—float • 3—char • 4—varchar • 5—datetime <p>#DICTIONARY TYPE 516</p>
Length	integer				Length of field in the database.
FieldType	integer				<p>The type of the Field corresponding to the CfgFieldType enumeration in Configuration Server. Refer to G_Dictionary Values (for DB2, Microsoft SQL Server, Oracle, or PostgreSQL, respectively) for a complete listing of permissible values.</p> <p>#DICTIONARY TYPE 517</p>
DefaultValue	varchar(255)				The default value of the Field.
IsPrimaryKey	integer				A flag which indicates whether a field is used as primary key. This corresponds to

Table GC_FIELD

Column	Data Type	P	M	F	Description
					<p>the CfgFlag enumeration in Configuration Server.</p> <ul style="list-style-type: none"> • 0—Unknown. • 1—False. Field is not used as a primary key. • 2—True. Field is used as a primary key. <p>#DICTIONARY TYPE 509</p>
IsUnique	integer				<p>A flag which indicates whether a field is unique. This corresponds to the CfgFlag enumeration in Configuration Server. One of the following values:</p> <ul style="list-style-type: none"> • 0—Unknown. • 1—False. Field is not unique. • 2—True. Field is unique. <p>#DICTIONARY TYPE: 509</p>
IsNullable	integer				<p>A flag which indicates whether a field allows null values. This corresponds to the CfgFlag enumeration in Configuration Server. One of the following</p>

Table GC_FIELD

Column	Data Type	P	M	F	Description
					values: <ul style="list-style-type: none"> • 0—Unknown. • 1—False. Field does not allow null values. • 2—False. Field does allow null values. #DICTIONARY TYPE: 509
State	integer		X		The object state. This corresponds to the CfgObjectState enumeration (Configuration Server). One of the following values: <ul style="list-style-type: none"> • 0—Unknown. Reserved for when ICON is unable to determine object state. • 1—Enabled. • 2—Disabled. #DICTIONARY TYPE 500
Status	integer		X		The status of the record. One of the following values: <ul style="list-style-type: none"> • 0—The status is unknown. Reserved for when ICON is unable to determine

Table GC_FIELD

Column	Data Type	P	M	F	Description
					<p>record status.</p> <ul style="list-style-type: none"> • 1—Record is active. • 2—Record is inactive (object is deleted). • 1 0—Synchronization is in progress for an active record. <p>#DICTIONARY TYPE 24</p>
Created	timestamp				The GMT-equivalent date and time when the object was written to IDB. This is not necessarily the actual creation time of the object.
Deleted	timestamp				The GMT-equivalent date and time when the object was removed.
LastChange	timestamp				The GMT-equivalent date and time when the object was last changed (including object creation or removal).
Created_ts	integer				The UTC-equivalent value of the CREATED field.
Created_tcode	integer				A reference, derived from the value of

Table GC_FIELD

Column	Data Type	P	M	F	Description
					the CREATED_TS field, to a record in the G_TIMECODE table.
Deleted_ts	integer				The UTC-equivalent value of the DELETED field.
Deleted_tcode	integer				A reference, derived from the value of the DELETED_TS field, to a record in the G_TIMECODE table.
LastChange_ts	integer				The UTC-equivalent value of the LASTCHANGE field.
LastChange_tcodeinteger					A reference, derived from the value of the LASTCHANGE_TS field, to a record in the G_TIMECODE table.
GSYS_DOMAIN	integer				Contains the data source session ID (DSS_ID) for the session that was active when the data was processed by ICON. For more information, see the description in System Fields (for DB2 , Microsoft SQL Server , Oracle , or PostgreSQL , respectively).

Table GC_FIELD

Column	Data Type	P	M	F	Description
GSYS_PARTITION	integer				A key that is used for partitioning.
GSYS_SYS_ID	integer				System ID. Reserved for future use.
GSYS_SEQ	bigint				Insert Sequence. Not unique.
GSYS_USEQ	bigint				Update Sequence. Not unique.
GSYS_TS	timestamp				Reserved
GSYS_TC	integer				Reserved
GSYS_EXT_VCH1	varchar(255)				Reserved
GSYS_EXT_VCH2	varchar(255)				Reserved
GSYS_EXT_INT1	integer				<p>A flag indicating the reliability of timestamp information stored in the CREATED and DELETED fields. One of the following values:</p> <ul style="list-style-type: none"> • 0—Highly reliable; timestamps for both fields are taken from Configuration Server runtime notifications or the Configuration Server history log. • 1—CREATED timestamp is that of the time when configuration data was requested

Table GC_FIELD

Column	Data Type	P	M	F	Description
					<p>from Configuration Server, either during the initial ICON startup or during synchronization.</p> <ul style="list-style-type: none"> • 2—DELETED timestamp is that of the time when configuration data was requested from Configuration Server; either during the initial ICON startup or during synchronization. • 3—Both CREATED and DELETED timestamps are taken from the time when configuration data was requested from Configuration Server, either during the initial ICON startup or during synchronization.
GSYS_EXT_INT2	integer				Reserved