



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Interaction Concentrator Physical Data Model for a PostgreSQL Database

Table G\_LOG\_ATTRS

## Table G\_LOG\_ATTRS

This table stores attributes about the messages stored in the G\_LOG\_MESSAGES table.

### Tip

To assist you in preparing supplementary documentation, click the following link to download a comma-separated text file containing information such as the data types and descriptions for all columns in this table: [Download a CSV file](#).

**Hint:** For easiest viewing, open the downloaded CSV file in Excel and adjust settings for column widths, text wrapping, and so on as desired. Depending on your browser and other system settings, you might need to save the file to your desktop first.

## Column List

### Legend

Column	Data Type	P	M	F	Description
ID	bigserial	X	X		The unique, autonumbered ID of this record. This is the primary key.
LRID	bigserial		X		Same as G_LOG_MESSAGES.ID.
MESSAGE_ID	integer		X		Same as G_LOG_MESSAGES.MESSAGE_ID.
ATTR_NAME	varchar(255)		X		The name of the message attribute. For example, PartitionID or Record_Count for a corresponding G_LOG_MESSAGES record that indicates purging of a partition has

Table G\_LOG\_ATTRS

---

Column	Data Type	P	M	F	Description
					begun (GSYS_PURGE_PARTITION purge started ...)
ATTR_VALUE	varchar(255)				The value of the message attribute. For example:  "20080930" for an ATTR_NAME of "PartitionID" and "2673" for an ATTR_NAME of "Record_Count"