



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Workspace Desktop Edition Deployment Guide

E-Mail Privileges

5/8/2025

E-Mail Privileges

The following table lists the E-Mail privileges in the Interaction Workspace E-Mail Privileges section of the Role Privileges tab that can be enabled for a role. Privileges are assigned as configuration options in the Role Privileges tab of the Role object in Genesys Administrator (refer to the [Procedure: Creating a Role, allowing an Interaction Workspace privilege, and assigning a Role to an agent or agent group](#)).

Role privilege	Description
E-Mail - Can Add Attachments	The agent is permitted to include attached files in e-mail interactions.
E-Mail - Can Change Format New Email	The agent is permitted to switch the format of a new outbound e-mail interaction between HTML and plain text. Added: 8.1.40x.xx
E-Mail - Can Change Format Reply Email	The agent is permitted to switch the format of a reply outbound e-mail interaction between HTML and plain text. Added: 8.1.40x.xx
E-Mail - Can Decline	The agent is permitted to reject e-mail interactions that are directed to the agent.
E-Mail - Can Delete	The agent is permitted to delete e-mail interactions from the contact database.
E-Mail - Can Forward To External Resource	The agent is permitted to configure an external e-mail address to which e-mail interactions can be forwarded.
E-Mail - Can Interim Send	The agent is permitted to send interim e-mail interactions to a target.
E-Mail - Can Mark Done	The agent is permitted to mark e-mail interactions as Done.
E-Mail - Can Move to Workbin	The agent is permitted to move e-mail interactions to a workbin for later handling or handling by another agent or agent group.
E-Mail - Can Print	The agent is permitted to print a hard copy of an e-mail interaction.
E-Mail - Can Reply	The agent is permitted to reply to the sender of an inbound e-mail interaction.
E-Mail - Can Reply All	The agent is permitted to reply to the sender and all other addressees of inbound e-mail interaction.
E-Mail - Can Save	The agent is permitted to save e-mail interactions in the in-progress workbin.
E-Mail - Can Send	The agent is permitted to send e-mail interactions to a target.
E-Mail - Can Set Interaction Disposition	The agent is permitted to set the disposition code of an e-mail interaction.
E-Mail - Can Transfer	The agent is permitted to use the instant-transfer

E-Mail Privileges

Role privilege	Description
	functionality.
E-Mail - Can Use E-Mail Channel	The agent is permitted to use the e-mail media channel.