



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Workspace Desktop Edition Deployment Guide

Outbound Options

5/8/2025

# Outbound Options

## Contents

- [1 Outbound Options](#)
  - [1.1 Outbound](#)

# Outbound

## outbound-callback.ringing-bell

- Default Value: Sounds\Ring.mp3|10|-1
- Valid Values: Letters A to Z and a to z. Numbers 0 through 9. All special characters that are valid Windows file names.
- Changes take effect: At the next interaction.
- Description: Specify the Outbound callback ringing sound configuration string of a scheduled callback pushed to the agent as a preview, for example: Sounds\Ring.mp3|10|-1  
The value has three components that are separated by the character '|':
  1. The file name and folder relative to the application folder.
  2. The priority. The higher the integer the higher the priority.
  3. The duration:
    - a. -1 means plays and repeats until an explicit message stops it. For example, the established event stops the ringing sound.
    - b. 0 means play the whole sound one time.
    - c. An integer > 0 means a time, in milliseconds, to play and repeat the sound.

## outbound.call-result-automatically-selected

### **Added:** 8.1.402.xx

- Default Value: ""
- Valid Values: Any available call result value.
- Changes take effect: At the next interaction.
- Description: Specifies the call result to be selected by default for outbound records. The specified call result must be defined by the values that are specified for the outbound.call-result-values option. If set to an empty value, the current call result of the outbound record is selected, or unknown is selected if there is no current value.

## outbound.call-result-values

- Default Value: Answered, NoAnswer, AnsweringMachine, Busy, WrongNumber
- Valid Values: One or more items from the following list: Abandoned (Abandoned), AgentCallbackError (Agent Callback Error), AllTrunksBusy (All Trunks Busy), Answered (Answered), AnsweringMachine (Answering Machine), Busy (Busy), CallDropError (Call Drop Error), DialError (Dial Error), DoNotCall (Do Not Call), Dropped (Dropped), DroppedNoAnswer (Dropped No Answer), FaxDetected (Fax Detected), GeneralError (General Error), GroupCallbackError (Group Callback Error), NoAnswer (No

Answer), NoDialTone (No Dial Tone), NoEstablished (No Established), NoFreePortError (No Free Port Error), NoProgress (No Progress), NoRingback (No Ringback), NuTone (Nu Tone), Ok (Ok), PagerDetected (Pager Detected), Silence (Silence), SitDetected (Sit Detected), SitInvalidNum (Sit Invalid Num), SitNoCircuit (Sit No Circuit), SitOperintercept (Sit Operintercept), SitReorder (Sit Reorder), SitUnknown (Sit Unknown), SitVacant (Sit Vacant), Stale (Stale), SwitchError (Switch Error), SystemError (System Error), TransferError (Transfer Error), Unknown (Unknown), WrongNumber (Wrong Number), WrongParty (Wrong Party)

- Changes take effect: At the next interaction.
- Description: Specifies the list of call results that are available for the agent to use for an outbound interaction. The call results are displayed in the order in which they appear in the list.

### outbound.campaign-stale-timeout

- Default Value: 0
- Valid Values: -1, 0, any positive integer value.
- Changes take effect: When the application is started or restarted.
- Description: Records remain editable for a specified period of time after a campaign is unloaded, to reflect the Outbound Contact Server (OCS) OCServer section `stale_clean_timeout` option. A value of 0 means that the outbound record becomes read-only when the campaign is unloaded. A positive value is the duration, in minutes, during which the outbound record remains editable. A value of -1 means that the outbound record is always editable (however, this action may fail in the OCS).

### outbound.fields.float-separator-in-db

- Default Value: ""
- Valid Values: A valid float separator. Typical float separators are: '.' (period), ',' (comma), and '\' (backslash).
- Changes take effect: Immediately.
- Description: Specifies the separator that is used for floating point numbers in the database for outbound fields. This option should be used when the decimal symbol in the regional settings of the agent workstation is different from the one provided by the database.

### outbound.push-preview.auto-answer

- Default Value: false
- Valid Values: true, false
- Changes take effect: At the next interaction.
- Description: Specifies whether a push-preview outbound interaction is automatically accepted and joined when an Interaction Server Invite event is received. This option can be **overridden by a routing strategy**.

### outbound.push-preview.media-types

- Default Value: outboundpreview

- Valid Values: A comma separated list of valid media-types.
- Changes take effect: When the application is started or restarted.
- Description: The list of media types that are available for the agent to use for outbound push-preview interactions.

### outbound.push-preview.use-combined-channel

- Default Value: `true`
- Valid Values: `true`, `false`
- Changes take effect: When the application is started or restarted.
- Description: Specifies whether the "outboundpreview" channel is combined with the voice channel in the User Interface. If set to `true`, only the voice channel is presented, and any change in the status of one channel is applied to the other channel.

### outbound.record-information.frame-color

- Default Value: `#FFDFE8F6`
- Valid Values: A valid Hexadecimal color code.
- Changes take effect: At the next interaction.
- Description: Specifies the color of the border of the Record Information view frame of Outbound interactions. Examples: `#FFFBA00` for a Gold color, `#FF6F7074` for a Silver color, `#FFB8400B` for a Bronze color. This option can be **overridden by a routing strategy**.

### outbound.record-information.header-foreground-color

- Default Value: `#FF15428B`
- Valid Values: A valid Hexadecimal color code.
- Changes take effect: At the next interaction.
- Description: Specifies the color of the foreground of the Record Information view frame of Outbound interactions. Example `#FFFFFF` for white color. This option can be **overridden by a routing strategy**.

### outbound.sound.campaign-updated

- Default Value: `" "`
- Valid Values: Letters A to Z and a to z. Numbers 0 through 9. All special characters that are valid Windows file names.
- Changes take effect: At the next interaction.
- Description: Specify the outbound campaign status updated sound configuration string, for example: `Sounds\Ring.mp3|10|-1`  
The value has three components that are separated by the character '|':

1. The file name and folder relative to the application folder.

2. The priority. The higher the integer the higher the priority.
3. The duration:
  - a. -1 means plays and repeats until an explicit message stops it. For example, the established event stops the ringing sound.
  - b. 0 means play the whole sound one time.
  - c. An integer > 0 means a time, in milliseconds, to play and repeat the sound.

### outbound.treatment-mode

- Default Value: none
- Valid Values: Select one value from the following list: personal, campaign, none.
- Changes take effect: Immediately.
- Description: Specifies the type of treatment to be applied for the outbound record after it is marked as processed. If set to none, no treatment is applied for the outbound record.