

GENESYS[®]

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Workspace Desktop Edition Deployment Guide

Provisioning Functionality

5/11/2025

Provisioning Functionality

This section contains procedures that demonstrate how to configure frequently used Interaction Workspace functionality. Many of the procedures in this section are applicable to more than one privilege. For example, the procedure, Provisioning Interaction Workspace for the Voice Channel provides the general principles for connecting to a media channel. You can create a configuration that is segmented by tenants or groups. Instead of creating your configurations at the Environment level, assign the settings of each Interaction Workspace module to a tenant, agent group, or agent. For more information, see Configuration_And_Administration_By_Using_Options_And_Annexes. The following task table provides an overview of how to configure agents to use Interaction workspace. Refer to *Framework 8.1 Genesys Administrator Help* and *Genesys Security Guide* for detailed information on how to use Genesys Administrator and Management Framework to configure access permissions

Objective	Related Procedure and Actions
Set up agents on the system	 Procedure: Creating a Role and allowing an Interaction Workspace privilege and assigning a Role to an agent or agent group Procedure: Optimizing the Login Window Procedure: Provisioning Interaction Workspace for the Voice channel Procedure: Declaring and using new Not-Ready Reason codes
Enable internal and external communications	 Procedure: Enabling an agent to use the Interaction Workspace SIP Endpoint Procedure: Enabling an agent to use the SIP Preview feature Procedure: Enabling an agent to use Team Communicator to call/transfer to an agent group or a skill Procedure: Enabling an agent to use Team Communicator to call a contact Procedure: Enabling an agent to use Outbound Campaign functionality call to a contact Procedure: Enabling an agent to use E-Mail to correspond with a contact Procedure: Enabling an agent to use Chat to chat with a contact Procedure: Enabling an agent to use SMS to

Configuring Agents to Use Interaction Workspace

Objective	Related Procedure and Actions
	 exchange SMS with a contact Procedure: Enabling an agent to use Workitems to handle open media types Procedure: Enabling an agent to use agent, place, agent group, or place group Workbins Procedure: Enabling agents to use Instant Messaging Procedure: Enabling an agent to use disposition codes Procedure: Enabling agents to manage contact history Procedure: Configuring the Interaction Workspace application to enable an agent to edit case information Procedure: Enabling agents to use the Standard Responses Library (SRL) Procedure: Enabling agents to view Broadcast Messages Procedure: Enabling agents to be Team Leads
Enable agents to view KPIs and contact center statistics	 Procedure: Enabling an agent to view My Statistics (KPIs) Procedure: Enabling an agent to view Contact Center Statistics (Object Metrics) Procedure: Enabling an agent to view My Statistics (KPIs) and Contact Center Statistics in the Statistics Gadget
Enable agents to manage contacts	 Procedure: Enabling agents to manage contacts Procedure: Configuring the Interaction Workspace application and Universal Contact Server to enable custom contact attributes
Modify a routing strategy to override Interaction Workspace options, based on attached data	 Procedure: Modifying a Routing Strategy to override an Interaction Workspace option, based on attached data