



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Workspace Desktop Edition Help

Web Callback Interaction

5/11/2025

---

## Contents

- [1 Web Callback Interaction](#)
  - [1.1 Web Callback Interaction Preview](#)
  - [1.2 Web Callback Interaction View](#)

# Web Callback Interaction

The Web Callback Interaction window is similar to the Voice Interaction window. It enables you to view all of the information that is necessary to handle a voice interaction with a contact who has requested a callback from your company web page.

Web Callback enables you to preview the web-callback interaction before you connect the call manually.

If your **status** is Ready on the Web Callback channel, new callback requests can be routed to you. When a web-callback interaction is routed to you, a new Interaction Notification is displayed. Click **Accept** to display the Web Callback Interaction Preview. Use the Web Callback Interaction Preview to make an **outbound voice call**. Click **Reject** to return the record to the another agent, routing point, or queue. If you do nothing, the interaction will be returned to another agent, routing point, or queue.

## Web Callback Interaction Preview



The Web Callback Interaction Preview is a special version of the Voice Interaction view. More detailed information about voice interaction controls can be found [here](#).

The Web Callback Interaction Preview enables you to view information about a web-callback interaction before you connect to the contact. The Web Callback Interaction Preview contains the following features and functionality:


- **Case Information**—Summary information about the interaction. The content of this area is specified by your administrator. It might contain information that the contact has entered into your company web page, the phone number of the contact, and so on.
- **Call Preview Actions** (toolbar)—**Actions** that you can perform, including starting the call, marking the call as **Done**, and scheduling a different time for the callback.
- **Callback Information**—Specific information about the record. The content of this area is specified by your administrator. It might contain a range of time for which the contact has indicated availability, the name of the contact, or information about the nature of the interaction.
- **Contact**—The [Contact Directory](#) view enables you to manage contact information.
- **Responses**—The [Responses view](#) enables you to access a database of prewritten standard responses for your interactions. You can read these responses to the contact during a phone interaction.

## Call Preview Actions

Call-preview actions are standard controls for web-callback interactions. Interaction Workspace enables you to perform the following call-preview actions:

- **Call the Contact**—Click **Call** () to connect to the contact and display the Web Callback Interaction view.
- **Done**—Click **Done** () to mark the call as Done. You can do this instead of calling the contact or after

you have called the contact.

- **Schedule a Callback**—Click **Schedule a Callback**  to **reschedule a callback** to a different time than the time that was requested by the contact (for example, if the contact does not answer their phone, the contact's line is busy, the contact is not available to take the call, or you get the contact's answering machine).

## Web Callback Interaction View

If you click **Call**, the Web Callback Preview window is updated to display the Call Status and Call Actions of the Web Callback Interaction window.







### Call Status




The call-status area of the Web Callback Interaction window provides the contact's phone number or name and the status of the call. Possible call statuses might include the following:

- **Connected**—You are actively talking to the contact or internal target.
- **On Hold**—The call is in a state in which the contact is unable to hear you and you are not able to hear the contact when the contact is on hold.
- **Ready to Call**—Your system is ready to connect the call to the contact. This is the default status if you or the other party end the call.

### Call Actions

Call actions are standard controls for outbound interactions. Interaction Workspace enables you to perform the following call actions:

- **Party Action Menu**—In the call-status area, click the down arrow that is beside the name of the contact to start a different interaction type with the contact, such as an e-mail interaction, if the contact has additional channel information available in the contact database.
- **End Call**—Click **End Call**  to disconnect the call.
- **Hold Call**—Click **Hold**  to place the active call on hold. If a call is on hold, you cannot hear the contact, and the contact cannot hear you.
- **Resume Call**—Click **Resume Call**  to reconnect to a call that is on hold. You will be able to hear the contact, and the contact will be able to hear you.
- **Instant Call Transfer**—Click **Instant Call Transfer**  to redirect the current outbound interaction to a contact or internal target that you select by using the Team Communicator.
- **Instant Call Conference**—Click **Instant Call Conference**  to start a voice conference instantly with the current outbound interaction and a contact or internal target that you select by using the Team Communicator.
- **Send DTMF**—You can attach numerical data to a call by entering dual-tone multifrequency (DTMF) digits into the call case history. Click the keypad button  to open the DTMF keypad. Type numbers into the number field, or click the keypad numbers to enter numbers.

- **Schedule a Callback**—Click **Schedule a Callback** () to **reschedule a callback** (for example, if the contact is too busy to respond now) for a different date and/or time.
- **Start Consultation**—Start a **voice consultation** with an internal target or a contact (). The target can choose not to accept the request. The target can end the consultation. You can end the consultation, or you can transfer or conference your current interaction to or with the consultation target.
- **Mark Done**—Complete a call and close the Voice Interaction window by clicking **Mark Done** (). You might be configured to specify a **disposition code** before you can click **Mark Done**.

## Dispositions

Use the Dispositions view to assign a **disposition code** to an ongoing or terminated interaction, to qualify the outcome of the interaction.

## Note

Use the **Notepad** to attach a note to the call history.