



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Workspace Desktop Edition Deployment Guide

Introduction to configuration options

12/14/2025

Introduction to configuration options

As with all other Genesys 8 applications, the Workspace configuration options are loaded into the configuration layer by using an XML metadata file that is delivered with Genesys Administrator Extension. Use Genesys Administrator Extension to view, access, and configure Workspace configuration options.

KPI and statistics options are not part of the XML metadata file, because they are not composed of fixed key names. To use the KPIs section, create as many option blocks as the number of KPIs that you want to declare. For details, see [Section: KPIName](#). To use the Statistics section, create as many option blocks as the number of statistics that you want to declare. For details, see [Section: ObjectStatisticName](#).

Lists of privileges are currently implemented as Boolean options in the Annex of individual agents (see [Role Privileges](#)). For information on how to secure your deployment, see the Security options that are contained in the [Genesys 8 Security Deployment Guide](#). For general information on configuring and extension, refer to [Configuration And Administration By Using Options And Annexes](#).

For general procedures on how to configure specific agent functionality, refer to [Provisioning Functionality](#).

Some options can be configured on the Application, the Tenant, an Agent Group, or an Access Group, while others must be configured on a Person object in the Agent Annex. The description of each configuration option specifies to what object the option is applicable. Options that are specific to the Person object (Agent Annex) are listed separately in this appendix.

The security.disable-rbac configuration option in the interaction-workspace section determines whether agents have all privileges allowed or whether the Role Based Access Control (RBAC) control system is used. Refer to [Role Privileges](#) for a list of all the privileges.

Warning

RBAC requires Configuration Server 8.0.2 or higher.

Refer to [Genesys Administrator Extension Help](#) and [Genesys 8 Security Deployment Guide](#) for detailed information on how to use Genesys Administrator Extension and Management Framework to configure access permissions