



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Workspace Desktop Edition Developer's Guide

Toolbar Window

12/21/2025

Contents

- [1 Toolbar Window](#)
 - [1.1 Window: ToolbarWindow](#)
 - [1.2 References](#)

Toolbar Window

Tip

If you want to highlight the functional areas in the Workspace UI with the red boxes and descriptions shown in the screen shots in this topic, on a *non-production* developer workstation, either configure the value of the `keyboard.shortcut.action.test.hidden` developer option in the `interactionworkspace.exe.config` file or in Configuration Server using GAX, to a keyboard short cut, such as: `Ctrl+P`. When you press the keyboard shortcut, the functional areas are highlighted.

Genesys recommends that you set this option at the agent level for testing purposes before setting it higher up in the option hierarchy or in the `interactionworkspace.exe.config` file.

Upon execution of the file, the following files are generated in the execution folder:

- `DumpChainOfCommandsInHTML.htm` containing all chains of commands available in the product in html format.
- `DumpChainOfCommandsInWikiMarkup.txt` containing all chains of commands available in the product in wiki format.
- `DumpKeyboardShortcut.htm` containing the list of all commands that can be triggered by a shortcut, and the shortcut configured if any.
- `DumpViewTree.htm` containing all regions.
- `DumpFullTreeView.htm` (when full tree view is specified) containing view tree names.




Purpose: To present for each window, the list of default views and regions that your application can customize.

Window: ToolbarWindow

Available since: 8.0.1; **updated in:** 8.1.0, 8.1.1, 8.1.2, 8.1.3, 8.1.4, 8.5

The `ToolbarWindow` (`IToolbarWindow`) `<ref name="Windows">Module: Genesyslab.Desktop.Modules.Windows</ref>` is the top-level window which contains predefined buttons in the `ToolbarWorksheetButtonRegion` associated with specific working views. This toolbar contains views and regions which are activated depending on the user's input by clicking expandable button for instance.

In 8.5, you can include Custom Modules and Views in the `CustomToolBarRegion` area. Custom modules can no longer extend the drop-down menus of the former `Workspace` button through the `WorkspaceMenuRegion` region. Instead, you should use the `ToolbarHamburgerButtonRegion` area to add menu items in the hamburger menu along with the out of the box items of this area, such as My Channels, My Campaigns, and so on.



The ToolbarWindow; no working view is deployed. In blue, you can see ToolbarHamburgerButtonRegion. In red, CustomToolBarRegion.

See also [Changes in the Main Window Regions](#) section.

The components available in this toolbar are the following views and regions:

- **Window:** ToolbarWindow (IToolbarWindow) <ref name="Windows" />
 - **Region:** CustomToolBarRegion (Multi-view)
Added in 8.5
View: MainToolBarMonitorView (IMainToolBarMonitorView) <ref name="ActiveRecording" />
 - **Region:** MainSplitButtonRegion (Multi-view)
 - **View:** MainButtonView (IMainButtonView) <ref name="Windows" >Module: Genesyslab.Desktop.Modules.Windows</ref>
 - **View:** MainToolBarMonitorView (IMainToolBarMonitorView) <ref name="ActiveRecording" >Module: Genesyslab.Desktop.Modules.ActiveRecording</ref>
Deprecated in 8.5
 - **Region:** HelpSplitButtonRegion
 - **View:** ButtonHelpView (IButtonHelpView) <ref name="Windows" >Module: Genesyslab.Desktop.Modules.Windows</ref>
 - **Region:** ToolbarDialerRegion
 - **View:** ToolbarDialerView (ITeamCommunicatorView) <ref name="TeamCommunicator" >Module: Genesyslab.Desktop.Modules.TeamCommunicator</ref>
 - **Region:** ToolbarInteractionBarRegion
 - **View:** InteractionMainToolBarContainerView (IInteractionMainToolBarContainerView) <ref name="InteractionBar" >Module: Genesyslab.Desktop.Modules.InteractionBar</ref>
 - **Region:** InteractionMainToolBarContainerRegion
 - **View:** InteractionBar (IInteractionBarView) <ref name="InteractionBar" >Module: Genesyslab.Desktop.Modules.InteractionBar</ref>
 - **Region:** InteractionBarCasesRegion (Multi-view)
 - **Region:** ToolbarStatusRegion
Deprecated in 8.5
 - **View:** AlertMessageView (IAlertMessageView) <ref name="Windows" />
 - **Region:** MyMessageRegion
 - **View:** MyMessagesView (IMyBroadcastMessageView) <ref name="Windows" />
 - **Region:** ToolbarWorksheetButtonRegion
Added in 8.5
 - **Region:** ToolbarWorksheetRegion

- **Region:** ToolbarHamburgerButtonRegion
Added in 8.5; see [the migration page](#) for further details.

The following subsections detail the multi-views which are part of the components listed above.

Multi-view InteractionBarCasesRegion

Available since: 8.1.1. **Updated in:** 8.1.2, 8.1.3, 8.1.4, 8.5

The multi-view InteractionBarCasesRegion is part of the InteractionBar region and includes the following regions and views:

- **Region:** InteractionBarCasesRegion (Multi-view)
 - **View:** InteractionBarCase (IInteractionBarCaseView) <ref name="InteractionBar" />
 - **Region:** InteractionBarMainBundleRegion
 - **View:** InteractionBarMainBundle (IInteractionBarMainBundleView) <ref name="InteractionBar" />
 - **Region:** InteractionBarInteractionsRegion (Multi-view)
 - **View:** InteractionBarInteraction (IInteractionBarInteractionView) <ref name="InteractionBar" />
 - **Region:** BundleToolbarContainerRegion (Multi-view)
 - **View:** TeamLeadToolBarView (ITeamLeadToolBarView) <ref name="TeamLead">Genesyslab.Desktop.Modules.TeamLead </ref>
 - **View:** InteractionPreviewToolBarView (IInteractionPreviewToolBarView) <ref name="Outbound" />
 - **View:** InteractionCallbackToolBarView (IInteractionCallbackToolBarView) <ref name="Callback">Genesyslab.Desktop.Modules.Callback </ref>
 - **View:** InteractionSmsToolBarView (IInteractionSmsToolBarView) <ref name="OpenMedia" />
 - **View:** InteractionWorkItemToolBarView (IInteractionWorkItemToolBarView) <ref name="OpenMedia" />
 - **Region:** CustomWorkItemToolBarRegion (Multi-view)
 - **View:** InteractionCallbackRescheduleToolBarView (IInteractionCallbackRescheduleToolBarView) <ref name="Callback" />
 - **View:** InteractionOutboundEmailToolBarView (IInteractionOutboundEmailToolBarView) <ref name="OpenMedia" />
 - **View:** InteractionInboundEmailToolBarView (IInteractionInboundEmailToolBarView) <ref name="OpenMedia" />
 - **View:** BundleToolBarView (IBundleToolBarView) (Module: Genesyslab.Desktop.Modules.Windows)
 - **Region:** BundleCustomButtonRegion (Multi-view)
 - **View:** InteractionCallbackRescheduleToolBarView (IInteractionCallbackRescheduleToolBarView) <ref name="Callback" />

- **View:** DonePullPreviewToolBarView (IDonePullPreviewToolBarView) <ref name="Outbound" />
 - **View:** RescheduleToolBarView (IRescheduleToolBarView) <ref name="Outbound" />
- **View:** InteractionVoiceToolBarView (IInteractionVoiceToolBarView) (Module: Genesyslab.Desktop.Modules.Voice)
 - **Region:** InteractionVoiceCustomButtonRegion (Multi-view)
 - **View:** SIPEndpointSoundView (ISIPEndpointSoundView) (Module: Genesyslab.Desktop.Modules.SIPEndpointCommunication)
 - **View:** SIPEndpointVideoView (ISIPEndpointVideoView) (Module: Genesyslab.Desktop.Modules.SIPEndpointCommunication)
 - **View:** SIPMonitor (ISIPMonitor) (Module: Genesyslab.Desktop.Modules.ActiveRecording)
 - **View:** IxnMonitor (IIxnMonitor) <ref name="ActiveRecording">Genesyslab.Desktop.Modules.ActiveRecording</ref>
- **View:** InteractionIMToolBarView (IInteractionIMToolBarView) (Module: Genesyslab.Desktop.Modules.Voice)
- **View:** InteractionChatToolBarView (IInteractionChatToolBarView) <ref name="OpenMedia" />
- **View:** InteractionChatConsultToolBarView (IInteractionChatConsultToolBarView) <ref name="OpenMedia" />
- **Region:** InteractionBarBundleToolBarRegion (Multi-view)
 - **View:** TeamLeadToolBarView (ITeamLeadToolBarView) <ref name="TeamLead" />
 - **View:** BundleToolBarView (IBundleToolBarView) (Module: Genesyslab.Desktop.Modules.Windows)
 - **Region:** BundleCustomButtonRegion (Multi-view)
 - **View:** InteractionCallbackRescheduleToolBarView (IInteractionCallbackRescheduleToolBarView) <ref name="Callback" />
 - **View:** DonePullPreviewToolBarView (IDonePullPreviewToolBarView) <ref name="Outbound" />
 - **View:** RescheduleToolBarView (IRescheduleToolBarView) <ref name="Outbound" />
- **Region:** InteractionBarConsultationBundlesRegion (Multi-view)
 - **View:** InteractionBarConsultationBundle (IInteractionBarConsultationBundleView) <ref name="InteractionBar" />
 - **Region:** InteractionBarInteractionsRegion (Multi-view)
 - **View:** InteractionBarInteraction (IInteractionBarInteractionView) <ref name="

"InteractionBar" />

- **Region:** BundleToolbarContainerRegion (Multi-view)
 - **View:** TeamLeadToolBarView (ITeamLeadToolBarView) <ref name="TeamLead" />
 - **View:** InteractionPreviewToolBarView (IInteractionPreviewToolBarView) <ref name="Outbound" />
 - **View:** InteractionCallbackToolBarView (IInteractionCallbackToolBarView) <ref name="Callback" />
 - **View:** InteractionSmsToolBarView (IInteractionSmsToolBarView) <ref name="OpenMedia" />
 - **View:** InteractionWorkItemToolBarView (IInteractionWorkItemToolBarView) <ref name="OpenMedia" />
 - **Region:** CustomWorkItemToolBarRegion (Multi-view)
 - **View:** InteractionOutboundEmailToolBarView (IInteractionOutboundEmailToolBarView) <ref name="OpenMedia" />
 - **View:** InteractionInboundEmailToolBarView (IInteractionInboundEmailToolBarView) <ref name="OpenMedia" />
 - **View:** BundleToolBarView (IBundleToolBarView) (Module: Genesyslab.Desktop.Modules.Windows)
 - **Region:** BundleCustomButtonRegion (Multi-view)
 - **View:** InteractionCallbackRescheduleToolBarView (IInteractionCallbackRescheduleToolBarView) <ref name="Callback" />
 - **View:** DonePullPreviewToolBarView (IDonePullPreviewToolBarView) <ref name="Outbound" />
 - **View:** RescheduleToolBarView (IRescheduleToolBarView) <ref name="Outbound" />
 - **View:** InteractionVoiceToolBarView (IInteractionVoiceToolBarView) (Module: Genesyslab.Desktop.Modules.Voice)
 - **Region:** InteractionVoiceCustomButtonRegion (Multi-view)
 - **View:** SIPEndpointSoundView (ISIPEndpointSoundView) (Module: Genesyslab.Desktop.Modules.SIPEndpointCommunication)
 - **View:** SIPEndpointVideoView (ISIPEndpointVideoView) (Module: Genesyslab.Desktop.Modules.SIPEndpointCommunication)
 - **View:** SIPMonitor (ISIPMonitor) (Module: Genesyslab.Desktop.Modules.ActiveRecording)
 - **View:** IxnMonitor (IIxnMonitor) <ref name="ActiveRecording">Genesyslab.Desktop.Modules.ActiveRecording</ref>
 - **View:** InteractionIMToolBarView (IInteractionIMToolBarView) (Module: Genesyslab.Desktop.Modules.Voice)

- **View:** InteractionChatToolBarView (IInteractionChatToolBarView) <ref name="OpenMedia" />
- **View:** InteractionChatConsultToolBarView (IInteractionChatConsultToolBarView) <ref name="OpenMedia" />
- **Region:** InteractionBarBundleToolBarRegion (Multi-view)
 - **View:** TeamLeadToolBarView (ITeamLeadToolBarView) <ref name="TeamLead" />
 - **View:** BundleToolBarView (IBundleToolBarView) (Module: Genesyslab.Desktop.Modules.Windows)
 - **Region:** BundleCustomButtonRegion (Multi-view)
 - **View:** InteractionCallbackRescheduleToolBarView (IInteractionCallbackRescheduleToolBarView) <ref name="Callback" />
 - **View:** DonePullPreviewToolBarView (IDonePullPreviewToolBarView) <ref name="Outbound" />
 - **View:** RescheduleToolBarView (IRescheduleToolBarView) <ref name="Outbound" />

Multi-view MyWorkplaceContainerView

Available since: 8.0.1

Updated in: 8.1.0, 8.1.1, 8.1.2

The multi-view MyWorkPlace is part of the ToolbarWorksheetRegion region and includes the following regions and views:

- **View:** MyWorkplaceContainerView (IMyWorkplaceContainerView) <ref name="Windows" />
 - **Region:** ToolbarWorkplaceRegion (Multi-view)
 - **View:** MyPlaceStatusView (IMyPlaceStatusView) <ref name="Windows" />
 - **View:** myCampaignsListView (IMyCampaignsView) <ref name="Outbound" /> Module: Genesyslab.Desktop.Modules.Outbound</ref>
 - **Region:** CampaignsErrorRegion
 - **View:** campaignsErrorView (ILastAlertErrorView) <ref name="Windows" />
 - **View:** MyContactHistory (IMyContactHistoryView) <ref name="Contacts" />
 - **Region:** ContactHistoryErrorRegion
 - **View:** ContactHistoryErrorView (ILastAlertErrorView) <ref name="Windows" />
 - **Region:** ContactTabBottomHistoryMultiRegion (Multi-view)
 - **View:** ContactDetailView (IContactDetailView) <ref name="Contacts" />
 - **Region:** ContactDetailRegion
 - **View:** OpenMediaContactDetailContentView (IOpenMediaContactDetailContentView) <ref name="Contacts">Module:

Genesyslab.Desktop.Modules.Contacts</ref>

- **Region:** ControllistAttachmentRegion
 - **View:** ControllistAttachmentView (IAttachmentView) <ref name="Windows" />
- **View:** CallbackContactDetailContentView (ICallbackContactDetailContentView) <ref name="Callback" />
 - **Region:** ContactDetailCallbackInformationRegion
 - **View:** ContactDetailCallbackInformationView (IGenericDataView) <ref name="Windows" />
- **View:** FormerContactDetailContentView (IFormerContactDetailContentView) <ref name="Contacts">Module: Genesyslab.Desktop.Modules.Contacts</ref>
 - **Region:** ControllistAttachmentRegion
 - **View:** ControllistAttachmentView (IAttachmentView) <ref name="Windows" />
- **View:** ContactHistoryNotepadView(INotepadView) <ref name="Windows" />
- **View:** ContactHistoryCaseDataView (IStaticCaseDataView) <ref name="Windows" />
 - **Region:** StaticCaseDataRegion
 - **View:** StaticCaseDataView (IGenericDataView) <ref name="Windows">Module: Genesyslab.Desktop.Modules.Windows</ref>
 - **Region:** StaticDispositionCodeRegion
 - **View:** StaticDispositionCodeView (IGenericDataView) <ref name="Windows">Module: Genesyslab.Desktop.Modules.Windows</ref>
- **View:** MyStatisticsView (IMyStatisticsView) <ref name="Statistics">Genesyslab.Desktop.Modules.Statistics</ref>
- **View:** MyCallCenterStatisticsView (IMyCallCenterStatisticsView) <ref name="Statistics" />


Important

See the [Gadget Windows](#) for screenshots of [MyStatisticsView](#) and [MyCallCenterStatisticsView](#).

Example MyContactHistory

In the following example, you can observe the views and regions which are visible when:

1. The Place Status Menu is selected in the ToolbarWorksheetButtonRegion.
2. The *MyHistory* tab is selected and makes visible the MyContactHistory.



MyContactHistory in IMyWorkplaceView (full resolution)

The views and regions which are visible in this screenshot are the following:

- **Window:** ToolbarWindow (IToolbarWindow) <ref name="Windows" />
 - **Region:** MainSplitButtonRegion (Multi-view)
 - **View:** MainButtonView (IMainButtonView) <ref name="Windows" >Module: Genesyslab.Desktop.Modules.Windows</ref>
 - **Region:** HelpSplitButtonRegion
 - **View:** ButtonHelpView (IButtonHelpView) <ref name="Windows" >Module: Genesyslab.Desktop.Modules.Windows</ref>
 - **Region:** ToolbarDialerRegion
 - **View:** ToolbarDialerView (ITeamCommunicatorView) <ref name="TeamCommunicator" />
 - **Region:** ToolbarWorksheetButtonRegion (Multi-view)
 - **View:** MyWorkplaceButtonView (IMyWorkplaceButtonView) <ref name="Windows" />
 - **Region:** WorkspaceMenuRegion
 - **View:** MyHistoryMenu (IHistoryMenuView)
 - **Region:** ToolbarStatusRegion
 - **Region:** ToolbarWorksheetRegion

- **View:** MyWorkplaceContainerView (IMyWorkplaceContainerView) <ref name="Windows" />
 - **Region:** ToolbarWorkplaceRegion (Multi-view)
 - **View:** MyContactHistory (IMyContactHistoryView) <ref name="Contacts" />
 - **Region:** ContactHistoryErrorRegion
 - **View:** ContactHistoryErrorView (ILastAlertErrorView) <ref name="Windows" />
 - **Region:** ContactTabBottomHistoryMultiRegion (Multi-view)
 - **View:** ContactDetailView (IContactDetailView) <ref name="Contacts" />
 - **Region:** ContactDetailRegion
 - **View:** OpenMediaContactDetailContentView (IOpenMediaContactDetailContentView) <ref name="Contacts">Module: Genesyslab.Desktop.Modules.Contacts</ref>
 - **Region:** ControlListAttachmentRegion
 - **View:** ControlListAttachmentView (IAttachmentView) <ref name="Windows" />
 - **View:** CallbackContactDetailContentView (ICallbackContactDetailContentView) <ref name="Callback" />
 - **Region:** ContactDetailCallbackInformationRegion
 - **View:** ContactDetailCallbackInformationView (IGenericDataView) <ref name="Windows" />
 - **View:** FormerContactDetailContentView (IFormerContactDetailContentView) <ref name="Contacts">Module: Genesyslab.Desktop.Modules.Contacts</ref>
 - **Region:** ControlListAttachmentRegion
 - **View:** ControlListAttachmentView (IAttachmentView) <ref name="Windows" />

Multi-view MainToolbarContainerView

Updated in 8.5


The multi-view MainToolbarWorkbinsContainerView is part of the ToolbarWorksheetRegion region, which includes the following regions and views:

- **View:** MainToolbarContainerView (IMainToolbarContainerView) <ref name="Contacts" />
 - **Region:** ContactDirectoryMultiRegion (Multi-view)
 - **View:** ContactDirectoryView (IContactDirectoryView) <ref name="Contacts" />
 - **Region:** ContactDirectoryErrorRegion
 - **View:** ContactDirectoryErrorView (ILastAlertErrorView) <ref name="Windows" />

- **Region:** ContactDirectoryAlternativeRegion
Added in 8.5
 - **View:** ContactDirectoryView (IContactDirectoryView) <ref name="Contacts" />
 - **Region:** ContactDirectoryErrorRegion
 - **View:** ContactDirectoryErrorView (ILastAlertErrorView) <ref name="Windows" />
- **Region:** ContactInfoHistoryMultiRegion (Multi-view)
 - **View:** ContactInformationView (IContactInformationView) <ref name="Contacts" />
 - **Region:** ContactInformationErrorRegion
 - **View:** ContactInformationErrorView (ILastAlertErrorView) <ref name="Windows" />
 - **View:** ContactHistoryView (IMyContactHistoryView) <ref name="Contacts" />
 - **Region:** ContactHistoryErrorRegion
 - **View:** ContactHistoryErrorView (ILastAlertErrorView) <ref name="Windows" />
 - **Region:** ContactTabBottomHistoryMultiRegion (Multi-view)
 - **View:** ContactDetailView (IContactDetailView) <ref name="Contacts" />
 - **Region:** ContactDetailRegion
 - **View:** FormerContactDetailContentView FormerContactDetailContentView (IFormerContactDetailContentView) <ref name="Contacts">Module: Genesyslab.Desktop.Modules.Contacts</ref>
 - **Region:** ControllistAttachmentRegion
 - **View:** ControllistAttachmentView (IAttachmentView) <ref name="Windows" />
 - **View:** CallbackContactDetailContentView (ICallbackContactDetailContentView) <ref name="Callback" />
 - **Region:** ContactDetailCallbackInformationRegion
 - **View:** ContactDetailCallbackInformationView (IGenericDataView) <ref name="Windows" />
 - **View:** OpenMediaContactDetailContentView (IOpenMediaContactDetailContentView) <ref name="OpenMedia">Module: Genesyslab.Desktop.Modules.OpenMedia</ref>
 - **Region:** ControllistAttachmentRegion
 - **View:** AttachmentView ControllistAttachmentView (IAttachmentView) <ref name="Windows" />
 - **View:** ContactHistoryNotepadView(INotepadView) <ref name="Windows" />
 - **View:** ContactHistoryCaseDataView (IStaticCaseDataView) <ref name="Windows" />
 - **Region:** StaticCaseDataRegion
 - **View:** StaticCaseDataView (IGenericDataView) <ref name="Windows">Module: Genesyslab.Desktop.Modules.Windows</ref>

- **Region:** StaticDispositionCodeRegion
 - **View:** StaticDispositionCodeView (IGenericDataView) <ref name="Windows">Module: Genesyslab.Desktop.Modules.Windows</ref>

The following screenshot shows the MainToolBarContainerView and its nested views and regions (but not all of them):



The ContactDirectoryView view, opened from the Hamburger menu.(full resolution)

Multi-view MainToolBarWorkbinsContainerView


The multi-view MainToolBarWorkbinsContainerView is part of the ToolbarWorksheetRegion region, which includes the following regions and views:

- **View:** MainToolBarWorkbinsContainerView (IMainToolBarWorkbinsContainerView) <ref name="OpenMedia" />
 - **Region:** WorkbinsExplorerMultiRegion (Multi-view)
 - **View:** MyWorkbinsExplorerView (IWorkbinsExplorerView) <ref name="OpenMedia" />
 - **Region:** WorkbinsExplorerViewErrorRegion
 - **View:** WorkbinsExplorerViewErrorView (ILastAlertErrorView) <ref name="Windows" />
 - **View:** MyTeamWorkbinsExplorerView (ITeamLeadWorkbinsExplorerView) <ref name="OpenMedia" />

- **Region:** MyTeamWorkbinsExplorerViewErrorRegion
 - **View:** MyTeamWorkbinsExplorerViewErrorView (ILastAlertErrorView) <ref name="Windows" />
- **View:** MyInteractionFiltersExplorerView (IInteractionFiltersExplorerView) <ref name="OpenMedia" />
- **Region:** WorkbinsContentMultiRegion (Multi-view)
 - **View:** WorkbinsView (IWorkbinsView) <ref name="OpenMedia" />
 - **Region:** WorkbinsViewErrorRegion
 - **View:** WorkbinsViewErrorView (ILastAlertErrorView) <ref name="Windows" />
 - **Region:** WorkbinsTabBottomHistoryMultiRegion (Multi-view)
 - **View:** ContactDetailView (IContactDetailView) <ref name="Contacts" />
 - **Region:** ContactDetailRegion
 - **View:** CallbackContactDetailContentView (ICallbackContactDetailContentView) <ref name="Callback" />
 - **Region:** ContactDetailCallbackInformationRegion
 - **View:** ContactDetailCallbackInformationView (IGenericDataView) <ref name="Windows" />
 - **View:** FormerContactDetailContentView (IOpenMediaContactDetailContentView) <ref name="Contacts">Module: Genesyslab.Desktop.Modules.Contacts</ref>
 - **Region:** ControlListAttachmentRegion
 - **View:** ControlListAttachmentView (IAttachmentView) <ref name="Windows" />
 - **View:** OpenMediaContactDetailContentView (IContactDetailContentView) <ref name="OpenMedia">Module: Genesyslab.Desktop.Modules.OpenMedia</ref>
 - **Region:** ControlListAttachmentRegion
 - **View:** ControlListAttachmentView (IAttachmentView) <ref name="Windows" />
 - ContactHistoryNotepadView <ref name="Windows" /> (INotepadView)
 - **View:** ContactHistoryCaseDataView (IStaticCaseDataView) <ref name="Windows" />
 - **Region:** StaticCaseDataRegion
 - **View:** StaticCaseDataView (IGenericDataView) <ref name="Windows" >Module: Genesyslab.Desktop.Modules.Windows</ref>
 - **Region:** StaticDispositionCodeRegion
 - **View:** StaticDispositionCodeView (IGenericDataView) <ref name="Windows" >Module:

Genesyslab.Desktop.Modules.Windows</ref>

The following screenshot shows this component and its nested views and regions (but not all of them):



Workbins components. (full resolution)

References