



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# iWD Data Mart Reference Guide

IWD Statistics

5/7/2025

# IWD Statistics

## Contents

- **1 IWD Statistics**
  - **1.1 Kettle Plug-Ins**
  - **1.2 Statistics Adapter Service**
  - **1.3 Stat Server Java Extension**

## Kettle Plug-Ins

To make iWD data available to other Genesys products, iWD provides five Kettle plug-ins (see [Customizing iWD](#)) to generate and write certain data to the GTL\_STAT iWD Data Mart table. Kettle is the component of the Pentaho suite that is responsible for the management of ETL processes; plug-ins are user-designed Kettle scripts for the generation of statistics. The `aggregate_stats` job, (see [iWD ETL Jobs](#)), reads the `stats.propertiesInsert` text file and executes all of the plug-ins that are listed there, providing each of them each with four parameters:

- `TENANT_RUNTIME_ID`
- `SOLUTION_RUNTIME_ID`
- `STAT_SERVICE_ID`
- `INTERVAL_KEY`, the key of the last aggregated date and time interval

Using these parameters, the plug-in can query fine-grained facts, aggregated facts, and dimensions to create the requested statistics and write them to GTL\_STAT table. The table below shows the structure of this GTL\_STAT table.

**Aggregation Tables/Views per Subject Area**

Column	Data Type	Description
ID	int	Primary key of this table.
TENANTID	varchar(64)	iWD Manager ID of the tenant in which iWD Data Mart is configured.
SOLUTIONID	varchar(64)	iWD Manager ID of the solution in which iWD Data Mart is configured.
STATSERVICEID	varchar(64)	iWD Manager ID of the Statistics Adapter Service that is used to connect to Stat Server for submission of statistics.
DIMENSIONTYPE	varchar(64)	Object type for which this statistic is calculated. By default, this value is one of the following: <ul style="list-style-type: none"> <li>• SLT—for Solution</li> <li>• DPT—for Department</li> <li>• PRC—for Process</li> </ul>
DIMENSIONID	varchar(64)	ID of the object—for example, the SolutionID, DepartmentID, or

---

Column	Data Type	Description
		ProcessID. This value is used to generate Stat Server filters.
MEASUREID	varchar(64)	Measure ID. This value is used to generate Stat Server stat types.
MEASUREVALUE	int	Value of the measure.

## Statistics Adapter Service

The Statistics Adapter Service (see [iWD Reporting](#)), processes the statistics in the GTL\_STAT table and writes statistical parameters (stat types and filters) to the configuration of the indicated Stat Server application in Configuration Server. The properties of the Statistics Adapter Service are described in the *Intelligent Workload Distribution 8.1 Deployment Guide*.

## Stat Server Java Extension

The iWD Stat Server Java Extension (BPR\_iWD\_Extension.jar) also processes statistics from the GTL\_STAT table on behalf of Stat Server, to make available statistical data to other Genesys applications. To accomplish this, you must complete both the following two tasks:

- Configure the Statistics Adapter Service in iWD with information to connect to a specific Stat Server application, and:
- Configure Stat Server to use BPR\_iWD\_Extension.jar. In turn, CCPulse+ requests iWD statistics from Stat Server and reads the stat types and filters from the Stat Server configuration.

Instructions for how to configure Java Extensions within Stat Server are described in the *Framework 8.1 Stat Server Deployment Guide*.