

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

iWD Data Mart Reference Guide

CAPTURE POINT Dimension

CAPTURE_POINT Dimension

Tasks are captured through a capture point that is configured in iWD GAX Plug-in. Capture point information is stored in the CAPTURE_POINT dimension which is populated from task information.

The CAPTURE_POINT Dimension

Field	Data Type	Description
CAPTURE_POINT_KEY	int	Primary key of this table.
CAPTURE_POINT_CONFIG_ID	int	iWD GAX Plug-in ID for the capture point.
CAPTURE_POINT_CONFIG_EVENT_ID) int	Event that created or updated the capture point record.
CAPTURE_POINT_RUNTIME_ID	varchar(255)	iWD GAX Plug-in runtime ID for the capture point.
TENANT_KEY	int	Key to the TENANT dimension, identifying the tenant with whom the capture point is associated.
SOLUTION_KEY	int	Key to the SOLUTION dimension.
CAPTURE_POINT_NAME	varchar(255)	Descriptive name of the capture point.
CAPTURE_POINT_TYPE	varchar(255)	Type of capture point, such as Web Service Capture Point, Database Capture Point, and XML File Capture Point.
CREATED_ETL_AUDIT_KEY	int	Key to the ETL_AUDIT dimension, identifying the ETL job that created this record.
UPDATED_ETL_AUDIT_KEY	int	Key to the ETL_AUDIT dimension, identifying the ETL job that last updated this record.
VALID_FROM	datetime	The date from which this capture point is valid.
VALID_TO	datetime	The date until which this capture point is valid.
VERSION	int	Version of the record.