iWD Data Mart Reference Guide

PROCESS Dimension

12/15/2025

PROCESS Dimension

All tasks are associated with a business process. Processes are associated with a department in iWD. Populated from iWD GAX Plug-in configurations, the PR0CESS dimension contains information about iWD processes.

The PROCESS Dimension

Field	Data Type	Description
PROCESS_KEY	int	Primary key of this table.
PROCESS_CONFIG_ID	int	iWD GAX Plug-in ID for the process.
PROCESS_CONFIG_EVENT_ID	int	Event that created or updated the process record.
PROCESS_RUNTIME_ID	varchar(255)	iWD GAX Plug-in runtime ID for the process.
TENANT_KEY	int	Key to the TENANT dimension, identifying the tenant with whom the process is associated.
SOLUTION_KEY	int	Key to the SOLUTION dimension, identifying the solution with which the process is associated.
DEPARTMENT_KEY	int	Key to the DEPARTMENT dimension, identifying the department with which the process is associated.
PROCESS_NAME	varchar(255)	Descriptive name of the process.
CUSTOM_DIM_KEY	int	Key to the CUSTOM_DIM dimension, identifying custom attributes that apply to the process.
CREATED_ETL_AUDIT_KEY	int	Key to the ETL_AUDIT dimension, identifying the ETL job that created this record.
UPDATED_ETL_AUDIT_KEY	int	Key to the ETL_AUDIT dimension, identifying the ETL job that last updated this record.
VALID_FROM_DATE_KEY	int	Date key for the VALID_FR0M process attribute.
VALID_FROM_TIME_KEY	int	Time key for the VALID_FR0M process attribute.
VALID_TO_DATE_KEY	int	Date key for the VALID_T0 process attribute.
VALID_TO_TIME_KEY	int	Time key for the VALID_T0 process attribute.
VALID_FROM	datetime	The date, in YYYY-M-D HH:MM:SS

Field	Data Type	Description
		F format, from which this process is valid.
VALID_TO	datetime	The date, in YYYY-M-D HH:MM:SS F format, until which this process is valid.
VERSION	int	Version of the record.