



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

iWD Data Mart Reference Guide

ETL_AUDIT System

5/10/2025

ETL_AUDIT System

The **ETL_AUDIT** table records information about every iWD Data Mart ETL job that has been executed. Various ETL jobs use the information stored in this table to determine when task processing ended from the last run of the job and thus, where to resume processing.

The ETL_AUDIT System Table

Field	Data Type	Description
ETL_AUDIT_KEY	int	Primary key of this table.
PARENT_ETL_AUDIT_KEY Introduced: 9.0.013	int	Points to the first ETL_AUDIT_KEY in the job run.
ETL_AUDIT_START_TIME Introduced: 9.0.011	datetime	Date and time when the job started.
ETL_AUDIT_FINISH_TIME Renamed: 9.0.011 (previously ETL_AUDIT_TIME)	datetime	Date and time when the job finished.
DURATION Introduced: 9.0.011	int	Calculated value, in seconds, that counts the time that has elapsed from the time at which the job was started to the time at which it was finished.
STATUS Introduced: 9.0.011		Describe the job status, one of the following: <ul style="list-style-type: none">• FINISHED• IN PROGRESS• FAILED
BATCH_ID	int	Batch number, for jobs that process data in batches (such as GTL_DM_load_intraday). Each batch job has its own ETL audit record.
DATA_SOURCE_TYPE	varchar(16)	Primary source of the job data; either config, task, or datamart. (Data from the Interaction Server Events Log database is classified as task data source type.)
DATA_SOURCE_NAME	varchar(1000)	Database ID (equals database JDBC URL).
PROCESS_NAME	varchar(255)	The name of the job that is processing the records (such as, load_config).
FIRST_EXTRACTED_EVENT_ID	bigint	ID that starts the range of event IDs that are processed.

Field	Data Type	Description
LAST_EXTRACTED_EVENT_ID	bigint	ID that ends the range of event IDs that are processed.
BATCH_LAST_EVENT_ID	bigint	ID of the last event in the batch. Used to set the starting point for the next batch.
LAST_INTERVAL_DATE_KEY	int	Last date interval that is processed by the aggregate ETL scripts.
LAST_INTERVAL_TIME_KEY	int	Last time interval that is processed by the aggregate ETL scripts.