



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Integrated Capture Points Guide

ActiveMQ—JMS Capture Point Application

12/17/2025

ActiveMQ—JMS Capture Point Application

This page provides an example of how to configure a JMS Capture Point Application object when using ActiveMQ.

Creating a Capture Point application

1. On the **Application Options** tab, edit the **setting** section:

```
capture-point-type=jms
```

```
inbound-queue-name=inbound
```

```
error-queue-name=error
```

```
processed-queue-name=processed
```

```
notification-queue-name=notification
```

```
xsl-inbound-transform-path=./iwd_scripts/iWD2IxnServerTransformer.groovy (points to  
the default iWD Compatibility scripts)
```

```
xsl-outbound-transform-path=./iwd_scripts/IxnServer2iWDTransformer.groovy
```

```
username=(as configured in the connection factory)
```

```
password=(as configured in the connection factory)
```

```
jms-initial-context-factory=org.apache.activemq.jndi.ActiveMQInitialContextFactory
```

```
jms-provider-url=tcp://<activemq_host>:<activemq_port>
```

```
jms-connection-factory-lookup-name=ConnectionFactory
```

2. On the **Connections** tab, add the Interaction Server that will use this JMS Message queue.