



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Integrated Capture Points Guide

WebSphereMQ—JMS CP Application

12/16/2025

WebSphereMQ—JMS CP Application

This page provides an example to configuring a JMS Capture Point Application object when using WebSphere MQ.

This is a specific example of the [more general configuration procedure](#).

Procedure: Configuring the JMS Capture Point application in Configuration Manager (WebSphere MQ example)

Start

1. On the **Options** tab create a section called **settings**. In this section add the following options:
 - `capture-point-type=jms`
 - `inbound-queue-name=inbound` (the same as the corresponding Destination name)
 - `error-queue-name=jms-error`
 - `processed-queue-name=jms-processed`
 - `notification-queue-name=jms-notifications`
 - `xsl-inbound-transform-path=./iwd_scripts/iWD2IxnServerTransformer.groovy` (points to the default iWD Compatibility scripts)
 - `xsl-outbound-transform-path=./iwd_scripts/IxnServer2iWDTransformer.groovy`
 - `jms-connection-factory-lookup-name=my_ConnFactory` (the name of the connection factory that you created in WebSphere MQ)
 - `jms-initial-context-factory=com.sun.jndi.fscontext.RefFSContextFactory`
 - `jms-provider-url=file:///home/InteractionServer` (the path points to the folder where the `.bindings` file—in UNIX file format—is stored on the Interaction Server host)
 - On the **Connections** tab, add the Interaction Server which will use this JMS Message queue.

End

Next Steps

Configure the Interaction Server options [to load JVM and the necessary libraries](#).