



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Outbound Contact Deployment Guide

Treatment Object

12/16/2025

---

## Contents

- 1 Treatment Object
  - 1.1 Creating and Applying Treatments
  - 1.2 Treatment Object--Configuration Tab Fields
  - 1.3 Treatment Sequences

# Treatment Object

Treatment objects are assigned to Calling List objects. Treatment objects define what OCS should do with a call that does not reach the intended party. A treatment, for example, could be that Outbound Contact redials a number that returns a Busy call result. If no treatments are assigned to a call result, OCS changes the record status to Updated.

You can add or remove treatments from a Calling List object while a dialing session for a campaign is running. However, when a treatment is in progress, it cannot be interrupted. Changes made to that treatment will be applied to the *next* record that receives the call result that prompts the treatment.

## Creating and Applying Treatments

### Start

1. In Genesys Administrator, select Provisioning > Outbound Contact > Treatments.
2. Click New.
3. Define the fields in the Configuration tab.
4. Click Save and Close.

### End

## Treatment Object--Configuration Tab Fields

### Name

Required; the default value is [Treatment]. Type the name of the treatment. It must be unique within the tenant.

### Tenant

Automatically populated by the system.

### Description

Optional; the default is [Blank]. A brief description of the selected treatment.

### Call Result

Required; the default value is [Unknown Call Result]. Select a value (the result of a dialing attempt) for this object. The following table provides information about call result values.

**Call Result Values**

Call Result Value	Description
[Unknown Call Result]	Default value. You must change this default value

	and replace it with another value from this table. OCS does not apply treatments to the Unknown call result.
Abandoned	Call dropped and will not be redialed.
Agent CallBack Error	OCS generates this call result when a call record is rescheduled according to a personal callback request from the desktop application, but OCS cannot find the designated agent to receive the callback when the scheduled time arrives. See the "Communication Protocols" chapter in the Outbound Contact Reference Manual for details on the personal callback request.
All Trunks Busy	No free trunks on the switch for dialing a call.
Answer	Customer was reached at the dialed phone number.
Answering Machine Detected	Answering machine was detected at the dialed phone number.
Bridged	Reserved for future use.
Busy	Dialed phone number was busy.
Call Drop Error	Reserved for future use.
Cancel Record	Record has been marked with Cancel by the agent desktop application or a third-party application.
Cleared	Reserved for future use.
Conferenced	Reserved for future use.
Consult	Reserved for future use.
Converse-On	Reserved for future use.
Covered	Reserved for future use.
Deafened	Reserved for future use.
Dial Error	Hardware error from a Dialogic board or a call progress detection (CPD) board on the switch.
Do Not Call	Record has been marked with DoNotCall by the agent desktop application or a third-party application.
Dropped	Call dropped by dialer after call dialed. Call dropped if/when the call_wait_in_queue_timeout option expires.
Dropped on No Answer	Reserved for future use.
Fax Detected	Fax machine was detected at the dialed phone number.
Forwarded	Reserved for future use.
General Error	General error occurs when a call is not completed, possibly caused by an invalid telephone number in the record or a wrong number according to the switch.
Held	Reserved for future use.

No Answer	Ring without answer at destination.
No Dial Tone	Absence of dial tone based on an error returned by the Dialogic board or the call progress detection (CPD) board on the switch.
No Established Detected	Reserved for future use.
No Port Available	No port is available to place call.
No Progress	Reserved for future use.
No RingBack Tone	Reserved for future use.
NU Tone	A special Public Switched Telephone Network (PSTN) code valid only in Europe.
OK	OCS treats the call result OK as undefined, therefore, it disregards any treatments created for this call result.
Overflowed	Reserved for future use.
Pager Detected	Pager was reached at the dialed phone number.
Pickedup	Reserved for future use.
Queue Full	Reserved for future use.
Redirected	Reserved for future use.
RemoteRelease	Reserved for future use.
Silence	Call was dialed, but there was no call progress detection (CPD).
SIT Detected	Any type of network tone.
SIT IC (Intercept)	Only applies if the network supports this specific standard information tone (SIT). Check with the switch vendor for confirmation.
SIT Invalid Number	Only applies if the network supports this specific SIT. Check with the switch vendor for confirmation.
SIT NC (No Circuit)	Only applies if the network supports this specific SIT. Check with the switch vendor for confirmation.
SIT RO (Reorder)	Only applies if the network supports this specific SIT. Check with the switch vendor for confirmation.
SIT Unknown Call State	Only applies if the network supports this specific SIT. Check with the switch vendor for confirmation.
SIT VC (Vacant Code)	Only applies if the network supports this specific SIT. Check with the switch vendor for confirmation.
Stale	Call result is marked as stale if the following timer has expired: <code>stale_clean_timeout</code> OCS will also mark the call result as stale for call records that have not received a RecordProcessed request from the desktop application when a dialing session/campaign group is being unloaded.
Switch Error	No dial tone received.
System Error	Dialing software error from the Dialogic driver or CPD from the switch.
Transfer Error	Dialer has a problem transferring calls based on

	call action.
Transferred	Reserved for future use.
Wrong Number	Call is answered but the desired person(s) could not be reached at this number; this call result is sent by the agent desktop application and not detected by the dialer.
Wrong Party	Call is answered but by a wrong party; this call result is sent by the desktop application and not detected by the dialer.

### Apply to Record

Required; default [Unknown Action]. Select a value from the drop-down list. The action to apply to a Calling List record based on the call result. Applies to all call results in the Call Results Values table except for call result Answer. The following table provides information on **Apply to Record** values.

#### Apply to Record Values (Unanswered Call Results)

Apply to Record Value	Description
Assign to Group	Used for the Agent CallBack Error call result. The call record is treated as a scheduled call of type Campaign. The record type is set as CampaignCallBack. The call record is sent to one of the desktops in the Campaign Group. The desktop must be programmed with a communication protocol to use this feature. See the "Communication Protocols" chapter in the Outbound Contact Reference Manual.
Execute SQL Statement	Used to execute pre-configured SQL statements when certain call results are received. There is no limitation on the type or complexity of the SQL statement that can be configured. Macro expressions can also be used to form the SQL statement. To execute this statement, OCS connects to the Calling List table from which the associated dialing record originated.
Mark as Agent Error	Used for the Agent CallBack Error call result. The record status is set to Missed Callback. See also the predictive_callback option in this guide. <b>Note:</b> Although you can set this value to other negative call results in Configuration Manager, you should only use it for Agent CallBack Error call result.
Next in chain	Used to set the total number of times that the next-in-chain treatment cycle occurs, and set the time period to wait before beginning the cycle again.
Next in chain after	Used to set the interval until the next record in chain is dialed, and until the next pass through the chain, after the last record in the chain has been dialed.
Next in chain at specified date	Used to set the date/time to dial the next record in chain.

No Treatment	No treatment will be applied.
Redial	Redial number within a specified number of minutes (Interval) for a specified number of times (Cycle Attempt).
Retry at specified date	Record will be redialed at specified times within the time interval specified in the Range property of the treatment.
Retry in	Retry once after the specified number of minutes (Interval).
Send HTTP Request	Sends an HTTP request with the JSON body to a remote Web/Application Server.
Update all records in chain	No more dial attempts are made for the chain and all records in the chain are marked as Updated.
[Unknown Action]	Default value. You must change this default value and replace it with another value from this table.

## Apply to Call

Optional; applicable only when call result is Answer, Answering Machine Detected, or Fax Detected; the default value is [Unknown Action Code]. Allows an alternate path when a dialing attempt is answered or reaches an answering machine or fax machine. Select a value from the drop-down menu. The following table provides information about Apply to Call values.

**Apply to Call Values (Answering Machine/Fax Results)**

Apply to Call Value	Description
Connect	Call connected to the DN defined as the Destination DN.
Drop	Drop = Unknown. Call is dropped or disconnected.
Mute Transfer	Reserved for future use.
Play a Message	Reserved for future use.
Route	Reserved for future use.
Send a fax	Reserved for future use.
Send a page	Reserved for future use.
Send an e-mail	Reserved for future use.
Transfer	Call transferred to the DN defined as the Destination DN.
[Unknown Action Code]	[Unknown Action Code] = Dropped. Default value. You must change this default value and replace it with another value from this table.

## Destination DN

Required for the Apply to Call actions, Connect and Transfer; default is [None]. The DN to which the call will be connected or transferred. Browse for an existing DN. If a Destination DN is not supplied, OCS will ignore the treatment.

### Number in sequence

Required; the default value is [0]. Assign the value 1 for a stand-alone treatment or for the first treatment of a treatment sequence. In a treatment sequence, each treatment contains a unique number that determines the order in which each treatment is applied to the same call result.

### Cycle Attempt

Required to be other than 0 when Apply to Record is set to Next in chain, Next in chain after, Next in chain at specified date, Redial; the default value is [0]. The maximum number of consecutive attempts to execute the treatment on the record.

### Interval (minutes)

Required when Apply to Record is set to Next in chain, Next in chain after, Redial, or Retry in; default is [0]. A time interval, in minutes, that OCS waits between the first dialing attempt and the first treatment attempt.

### Increment (minutes)

Required when Apply to Record is set to Next in chain, Next in chain after, Retry in, Redial; the default value is [0]. Specifies the number of minutes added to the previous redial time interval.

### Date

Required if the Apply to Record action is set to Next in chain at specified date or Retry at specified date; the default value is [current date]. The date when another treatment attempt will be performed. Select a calendar date from the drop-down list.

### Time

Required if the Apply to Record action is set to Next in chain at specified date or Retry at specified date; the default value is [current time]. The time of day that another treatment attempt will be performed. Select a time from the drop-down list.

### Range

This is reserved for future use.

## Treatment Sequences

Note the following:

- You can define treatment sequences (sometimes called linked treatments) for the same call result by using the Number in sequence field on the Configuration tab of the Treatment object. The first treatment in the sequence must have a value of 1 in the Number in sequence field. The values for this field must be numbered sequentially (1, 2, 3, etc.). The sequence will not work if a treatment sequence is broken, for example, numbered 1, 2, and 4.
- You can create two Busy treatments and specify the order (sequence) in which to apply them. For



example, create one Busy treatment that has an action of Redial and the Number in sequence field set to 1; create a second Busy treatment that has an action of Retry in and the Number in sequence field set to 2; then assign both Busy treatments to the same Calling List.

- You can also use the sequence of treatments in combination with cycling through the chain. To do this, you need to place one of the treatments of the type Next-In-Chain, Next-In-Chain After, or Next-In-Chain at Specified Date, at the end of the sequence of treatments.

Properly configuring one of these treatments to be the last in the sequence will result in the following: When the chain is completed, OCS will jump from the last record to the first record in the chain to begin the cycle again.