



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Mobile Services

Voice - User Originated Section

12/17/2025

Voice - User Originated Section

- `_booking_expiration_timeout`
- `_provide_code`
- `_userorig_connect_limit`
- `_offer_callback`
- `_resource_group`
- `_offer_callback_vxml_app_url`
- `_src_route_point`

`_booking_expiration_timeout`

Default Value: 30

Valid Values: integer

Changes Take Effect: Immediately

Used to book the access number resource for a period of time. The customer needs to make the call within the specified timeout to ensure a successful match.

This option is mandatory.

`_offer_callback`

Default Value: false

Valid Values: boolean

Changes Take Effect: Immediately

When this option is set to true, the callback option is presented to the caller. The IVR application specified in the `_offer_callback_vxml_app_url` option is used to present the callback option. If the `_offer_callback_vxml_app_url` is blank (default), the built-in VXML application is executed.

This option is mandatory.

`_offer_callback_vxml_app_url`

Default Value:

Valid Values: string

Changes Take Effect: Immediately

URL of the custom VXML application to be used to offer a callback (treatment). If `_offer_callback` is set to true, a VXML app must be used to offer the callback. By default, this parameter is empty and the callback application uses the built-in VXML app.

Tip

This is an advanced parameter. To modify the value of an advanced parameter, you must enable **Advanced Parameters** in the Service Management UI.

`_provide_code`

Default Value: false

Valid Values: boolean

Changes Take Effect: Immediately

If true, returns a randomly generated code to be used for the authentication of the user originated (inbound) call.

This option is mandatory.

`_resource_group`

Default Value: DNIS

Valid Values: `resource_group`

Changes Take Effect: Immediately

Resource group from which access number is to be allocated.

This option is mandatory.

`_src_route_point`

Default Value:

Valid Values: string

Changes Take Effect: Immediately

If set, this route point will be used as the source DN (focus device) when routing the user originated (inbound) call to the agent. In most cases, the source DN is automatically detected correctly and doesn't need to be set. Hence, it is recommended to leave it empty.

Tip

This is an advanced parameter. To modify the value of an advanced parameter, you must enable **Advanced Parameters** in the Service Management UI.

_userorig_connect_limit

Default Value: 3

Valid Values: integer

Changes Take Effect: Immediately

Maximum number of times that the customer can request a connection or a reconnection.