



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Voice Platform

[gvp.policy.speech-resources](#) Section

12/17/2025

gvp.policy.speech-resources Section

- `asr.defaultengine`
- `authorizedasengines`
- `authorizedttsengines`
- `defaultlanguage`
- `nsssessionxml`
- `tts.defaultengine`

asr.defaultengine

Default Value:

Valid Values:

Changes Take Effect: immediately

The engine specified here will be used to load a default engine when using the log metrics to ASR configuration. An application using a different name should override this using the Request URI configuration or asengine property.

authorizedasengines

Default Value:

Valid Values:

Changes Take Effect: immediately

This parameter represents the ":" delimited list of ASR resources that are authorized to be used by this profile

authorizedttsengines

Default Value:

Valid Values:

Changes Take Effect: immediately

This parameter represents the ":" delimited list of TTS resources that are authorized to be used by this profile

defaultlanguage

Default Value:

Valid Values:

Changes Take Effect: immediately

This parameter represents the default language for ASR/TTS

nsssessionxml

Default Value:

Valid Values:

Changes Take Effect: immediately

This parameter specifies the path of a session configuration file for the speech recognizer and synthesizer used by this application. When it is set, RM shall pass the value to MCP in a Request-URI parameter "gvp.config.vrm.nsssessionxml".

tts.defaultengine

Default Value:

Valid Values:

Changes Take Effect: immediately

The engine specified here will be used to load a default engine. An application using a different name should override this using the ttsengine property or the Request URI configuration.