



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Genesys Mobile Services

elasticsearch Section

12/14/2025

## elasticsearch Section

- `allowedServiceTypes`
- `server`
- `enabled`
- `urlPattern`

### allowedServiceTypes

**Default Value:** "\*"

**Valid Values:** String

**Changes Take Effect:** Immediately

Comma-separated list of the service types allowed to publish conversations to the elastic server. The service types are String or DBIDs matching the Business Attributes `mapping`; for example: Identification, Special Offers.

### enabled

**Default Value:** false

**Valid Values:** true, false

**Changes Take Effect:** Immediately

Set to true to push conversations to elastic search when services are completed.

### server

**Default Value:** No default value

**Valid Values:** String

**Changes Take Effect:** Immediately

Elastic Search server URL; for instance: `http://gax1dev:1664`.

### urlPattern

**Default Value:**

**Valid Values:**  
**Changes Take Effect:**

Pattern to append to the server URL; for instance: `${service.type}-${date.year}.${date.month}.${date.day}/service/${service.id}`. The possible pattern variables are:

- `date.year`
- `date.month`
- `date.day`
- `service.type`
- `service.id`