



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Voice Platform

MRCPv1_ASR

12/14/2025

MRCPv1_ASR

Options for this component are contained in the following configuration sections:

- **provision**

Tip

In the summary table(s) below, type in the Search box to quickly find options, configuration sections, or other values, and/or click a column name to sort the table. Click an option name to link to a full description of the option. Be aware that the default and valid values are the values in effect with the latest release of the software and may have changed since the release you have; refer to the full description of the option to see information for earlier releases.

Power users: **Download a CSV file** containing default and valid values and descriptions.

The following options are configured at the application level (in other words, on the application object).

Section	Option	Default	Changes Take Effect
provision	vrn.client.ConnectPerSetup	false	At start/restart
provision	vrn.client.DisableHotWord	true	
provision	vrn.client.DisablePing	false	At start/restart
provision	vrn.client.EventLoggingEngine	direct	At start/restart
provision	vrn.client.HotKeyBasePath	/mcp/\$AppName\$/grammar/ common/hotkey	At start/restart
provision	vrn.client.IBMHotWord	false	At start/restart
provision	vrn.client.NoDuplicatedGrammar	true	At start/restart
provision	vrn.client.resource.name		At start/restart
provision	vrn.client.resource.type	ASR	At start/restart
provision	vrn.client.resource.uri		At start/restart
provision	vrn.client.SendLoggingTag	true	At start/restart
provision	vrn.client.SendSilence	false	At start/restart
provision	vrn.client.SendSWMSParameters	true	At start/restart
provision	vrn.client.TelispeechRecognitionBargein	false	At start/restart
provision	vrn.client.TransportProtocol	MRCPv1	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
provision	vrn.proxy.ping_interval	30000	Immediately
Section	Option	Default	Changes Take Effect