



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Performance DNA Administrator Guide

Archiving and Forgetting Users

12/18/2025

Contents

- 1 Archiving and Forgetting Users
 - 1.1 How to archive a user?
 - 1.2 How to forget a user?


Archiving and Forgetting Users

Performance DNA allows you to archive and forget users that no longer use the system. You can do this from the **Users & Hierarchy** page.

How to archive a user?

To archive a user:

- Open the **Users & Hierarchy** page, navigate to the user name you want to archive, and edit the user details.
- On the **Edit users** page, click the user name to display their details and then select the **Is user archived?** check box. Clicking **Apply** will archive the user and move the user to the **Archived users** list on the hierarchy page.



Important

If you want to restore a user from the archived list, navigate to **Archived users > Edit user details**, click the user name and clear the **Is user archived?** check box. You can find the restored user in the **Unassigned users** list.

How to forget a user?

You can forget an archived user either manually or automatically by turning on the **Forget archived user** event in System Settings.

Forgetting a user manually

You can manually forget a user either by editing the user details from the **Archived users** list or while you are archiving a user.

To forget a user, click **Forget User** button from the **Edit user details** page. Once the user is forgotten, all their personally identifiable fields will be updated with random or anonymous data.

