



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# T-Server Reference Guide

TCallType

12/15/2025

---

## Contents

- 1 TCallType
  - 1.1 Syntax
  - 1.2 Values
  - 1.3 Comments

# TCallType

## Syntax

```
typedef enum {  
    CallTypeUnknown,  
    CallTypeInternal,  
    CallTypeInbound,  
    CallTypeOutbound,  
    CallTypeConsult  
} TCallType;
```

## Values

- `CallTypeUnknown` — The type of this call is unknown.
- `CallTypeInternal` — This is an internal call (between two DNs on the local switch).
- `CallTypeInbound` — This is an inbound call (from an off-PBX number).
- `CallTypeOutbound` — This is an outbound call (to an off-PBX number).
- `CallTypeConsult` — This is a consultation call (initiated on the local switch), regardless of what DNs participate in the call.

## Comments

`CallType` is determined with respect to the local switch only. In multi-site environments the `CallType` of a call may be different for each of its different legs. For example, one T-Server may report a call as an Outbound or Consult call, but on the receiving end this call may be reported as Inbound.