



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Reporting and Analytics Aggregates Physical Data Model for a Microsoft SQL Server Database

Table AGT\_SDR\_SURVEY\_HOUR

# Table AGT\_SDR\_SURVEY\_HOUR

## Description

**Introduced:** 8.5.0

In partitioned databases, this table is not partitioned.

This table contains a record of survey data. The same columns and column descriptions apply to other AGT\_SDR\_SURVEY\_\* tables.

### Tip

- This document shows *table* information because it is more informative than *view* information. However, directly querying tables is not supported; perform your queries on views.
- This document shows the HOUR structure for each table, as an example. For each table, the same structure is used for SUBHR through YEAR views.
- Where referenced, IRF resources include:
  - Handling resources (such as self-service IVR ports, agents, or non-agent-associated DNSs)
  - Mediation resources (such as a non-self-service IVR ports, voice treatment ports, ACD queues, routing points, and so forth) where the interaction ends in mediation before being distributed to a handling resource.
- *IRF* is an abbreviation for the [INTERACTION\\_RESOURCE\\_FACT](#) table.
- *MSF* is an abbreviation for the [MEDIATION\\_SEGMENT\\_FACT](#) table.

### Tip

To assist you in preparing supplementary documentation, click the following link to download a comma-separated text file containing information such as the data types and descriptions for all columns in this table: [Download a CSV file](#).

**Hint:** For easiest viewing, open the downloaded CSV file in Excel and adjust settings for column widths, text wrapping, and so on as desired. Depending on your browser and other system settings, you might need to save the file to your desktop first.

## Column List

### Legend

Column	Data Type	P	M	F	DV
DATE_TIME_KEY	int			X	-1
GROUP_COMBINATION_KEY	int			X	-1
RESOURCE_KEY	int			X	-1
SDR_APPLICATION_KEY	int			X	-1
OFFERED	int				
ACCEPTED	int				
ANSWERED	int				
NO_INPUT_ERROR	int				
NO_MATCH_ERROR	int				
AGR_SET_KEY	int		X	X	

### DATE\_TIME\_KEY

The surrogate key that is used to join this aggregate table to the DATE\_TIME dimension table to identify the calendar date and 15-minute interval at which the caller's participation in the interaction began.

### GROUP\_COMBINATION\_KEY

The surrogate key that is used to join records in this aggregate table to the RESOURCE\_GROUP\_COMBINATION dimension table to identify a specific combination of queue groups of which the queue was a member when the interaction entered the queue.

### RESOURCE\_KEY

The surrogate key that is used to join this aggregate table to the RESOURCE\_ dimension table.

### SDR\_APPLICATION\_KEY

The surrogate key that is used to join this aggregate table to the SDR\_APPLICATION dimension table.

### OFFERED

The total number of survey interactions that were accepted or rejected by a handling resource.

### ACCEPTED

The total number of survey interactions that were accepted by a handling resource.

### ANSWERED

The total count of instances when a caller answered a survey.

### NO\_INPUT\_ERROR

The total count of instances when the caller's input was not heard or not received.

### NO\_MATCH\_ERROR

The total count of instances when the caller's input did not match a set of possible values predefined in the Designer application.

### AGR\_SET\_KEY

The surrogate key that is used to join this aggregate table to the AGR\_SET table.

## Subject Areas

No subject area information available.