



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Configuration Server

8.5.101.25

12/25/2025

8.5.101.25

Configuration Server Release Notes

9.x Configuration Server is part of 9.x starting in **8.5.101.11**.

Release Date	Release Type	Restrictions	AIX	Linux	Solaris	Windows
08/31/18	General		X	X	X	X

Contents

- **1 8.5.101.25**
 - **1.1 Helpful Links**
 - **1.2 What's New**
 - **1.3 Resolved Issues**
 - **1.4 Upgrade Notes**
 - **1.5 Supported Languages**

What's New

This release contains the following new features or enhancements:

- Starting with this release, Configuration Server requires LDAP server to operate at minimum TLS version 1.1 for a successful connection. TLS version 1.2 is also supported. If your LDAP environment does not meet these requirements and is unable to operate at TLS 1.1 or TLS 1.2, Genesys provides an alternative implementation to use the legacy TLS protocols. To use the legacy TLS protocol:
 - In Windows, rename the following files:
 - **gauth_ldap_tls10ssv3.dll** to **gauth_ldap.dll**
 - **gauth_ldap_tls10ssv3.pdb** to **gauth_ldap.pdb**
 - In UNIX/Linux, rename the following files:
 - **libgauth_ldap_tls10ssv3_32.so** to **libgauth_ldap_32.so**
 - **libgauth_ldap_tls10ssv3_64.so** to **libgauth_ldap_64.so**

Ensure to take a backup of the existing files: **gauth_ldap.dll** and **gauth_ldap.pdb** in Windows or **libgauth_ldap_32.so** and **libgauth_ldap_64.so** in UNIX/Linux.

Helpful Links

Releases Info

- [List of 8.5.x Releases](#)
- [8.5.x Known Issues](#)

Product Documentation

[Management Framework](#)

[Genesys Products](#)

[List of Release Notes](#)

Resolved Issues

This release contains the following resolved issue:

Log library now applies the **reconnect-timeout** and **reconnect-attempts** options set in all Message Server application objects. Configuration Server attempts to reconnect with each Message Server according to the configured **reconnect-attempts** value for the set timeout period. Previously, Configuration Server tried to reconnect with Message Server HA pair alternately every second. (MFWK-18806)

Upgrade Notes

No special procedure is required to upgrade to release 8.5.101.25.

Supported Languages

See [Release 8.5.x Translation Support](#).