



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Configuration Server

8.5.101.30

12/26/2025

8.5.101.30

Configuration Server Release Notes

9.x Configuration Server is part of 9.x starting in **8.5.101.11**.

Release Date	Release Type	Restrictions	AIX	Linux	Solaris	Windows
02/28/19	General		X	X	X	X

Contents

- **1 8.5.101.30**
 - **1.1 Helpful Links**
 - **1.2 What's New**
 - **1.3 Resolved Issues**
 - **1.4 Upgrade Notes**
 - **1.5 Supported Languages**

What's New

This release contains the following new feature and enhancement:

- The following Log Events related to read access activities have been enhanced with additional information, such as the username, IP address of host, client socket number, application name, and application type:
 - **21-22121** **[+]** **show details**

Text	Extended info : Client [socket number] authorized, name [application name], type [application type], user name [user name], protocol [protocol], address [IP address:port number]. Authentication type : [authentication mode].
New Attribute	[IP address:port number] The IP address of host server.
Description	Configuration Server has authorized the specified client.

- **21-22122** **[+]** **show details**

Text	Client [socket number] failed to get authorization. Name [application name], type [application type], user [user name], address [IP address:port number]. Reason : [error].
New Attribute	[IP address:port number] The IP address of host server.
Description	The specified client has failed Configuration Server authorization.

- **21-24200** **[+]** **show details**

Text	Object: [object type], name [object name], DBID: [database ID] is created by client [socket number], type [application type], name: [application name], user: [user name].
-------------	--

Helpful Links

Releases Info

- [List of 8.5.x Releases](#)
- [8.5.x Known Issues](#)

Product Documentation

[Management Framework](#)

Genesys Products

[List of Release Notes](#)

New Attribute	[socket number] The number of the client socket.
Description	Reports that a user of the specified application has created a new configuration object.

- **21-24201 [+] show details**

Text	Object: [object type], name [object name], DBID: [database ID] is changed by client [socket number], type [application type], name: [application name], user: [user name].
New Attribute	[socket number] The number of the client socket.
Description	Reports that a user of the specified application has modified a configuration object.

- **21-24202 [+] show details**

Text	Object: [object type], name: [object name], DBID: [database ID] is deleted by client [socket number], type: [application type], name: [application name], user: [user name].
New Attribute	[socket number] The number of the client socket.
Description	Reports that a user of the specified application has deleted a configuration object.

- **21-24203 [+] show details**

Text	Object: [object type], name: [object name], DBID: [database ID] access is changed by client [socket number], type: [application type], name: [application name], user: [user name].
New Attribute	[socket number] The number of the client socket.
Description	Reports that a user of the specified application has changed the object access.

- **21-24204 [+] show details**

Text	Object: [object type], name: [object name], DBID: [database ID] access is changed by client [socket number], type: [application type], name: [application name], user: [user name].
New Attribute	[socket number] The number of the client socket.

Description	Reports that a user of the specified application has changed the object account.
--------------------	--

- **21-24215 [+] show details**

Text	There are [number] objects of type [object type] sent to the client [socket number] (application [application name], type [application type] user: [user name], address [IP address:port number]).
New Attributes	[user name] Name of the user who requested for object information. [IP address:port number] The IP address of host server.
Description	Reports information about objects transmitted to the client.

- **21-24300 [+] show details**

Text	Extended info : New client [socket number] connected, protocol [protocol], address [IP address:port number].
New Attribute	[IP address:port number] The IP address of host server.
Description	A new client application is connected to Configuration Server.

- **21-24301 [+] show details**

Text	Extended info : Client [socket number] disconnected, application [application name], type [application type], protocol [protocol].
New Attributes	None
Description	The client application has disconnected from Configuration Server.

Resolved Issues

This release contains the following resolved issues:

Configuration Server no longer terminates unexpectedly while reloading the schema. (MFWK-21394)

Configuration Server no longer terminates when dbclient returns an error while loading binary large object (BLOB) data that is greater than 10 MB from the **CFG_HDB_OBJECT** table. Now, Configuration Server skips reading the history record from the **CFG_HDB_OBJECT** table and issues a warning log message. (MFWK-21386)

Upgrade Notes

No special procedure is required to upgrade to release 8.5.101.30.

Supported Languages

See [Release 8.5.x Translation Support](#).