



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Chat Server

8.5.316.02

8.5.316.02

Chat Server Release Notes

9.x Chat Server is part of 9.x starting in **8.5.201.05**.

Release Date	Release Type	Restrictions	AIX	Linux	Mac	Solaris	Windows
10/03/22	Update			X			X

Contents

- **1 8.5.316.02**
 - **1.1 Helpful Links**
 - **1.2 What's New**
 - **1.3 Resolved Issues**
 - **1.4 Upgrade Notes**

What's New

This release includes only resolved issues.

- Chat Server now supports Cassandra 4 in HA (high-availability) mode. (CHAT-3868)

Resolved Issues

This release contains the following resolved issues:

Chat Server now has the ability to force Interaction Server to notify all instances of Chat Server that the interaction has stopped in the workflow. Use the configuration option `ixn-submittedby-name` to enable this feature. When the notification is received, Chat Server closes the chat session. Previously, only the instance which submitted that interaction was notified. (CHAT-3853)

Chat server now correctly restores chat sessions after a loss of connection. Use the `session-restore-push-send` option (introduced in 8.5.315.05) to enable this feature. (CHAT-3852)

The Chat Server log no longer displays the value of the Cassandra connection password. (CHAT-3851)

Chat Server now permits the transfer of **userdata** within a change visibility request from a supervisor during a barge-in. (CHAT-3850)

Support for CentOS 7 is now restored on Chat Server. (CHAT-3845)

Upgrade Notes

No special procedure is required to upgrade to release 8.5.316.02.

Helpful Links

Releases Info

- [List of 8.5.x Releases](#)
- [8.5.x Known Issues](#)

Product Documentation

[eServices](#)

Genesys Products

[List of Release Notes](#)