

# **GENESYS**

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Pulse

8.5.010.12

## 8.5.010.12

# Genesys Pulse Release Notes

	Release Date	Release Type	Restrictions	AIX	Linux	Solaris	Windows	
12	2/18/14	General			Χ		Χ	

#### Contents

- 18.5.010.12
  - 1.1 Helpful Links
  - 1.2 What's New
  - 1.3 Resolved Issues
  - 1.4 Upgrade Notes
  - 1.5 Supported Languages

Genesys Pulse 2

#### What's New

- You can now create external data for display in Genesys Pulse by using the Genesys Pulse Restful Web Service API.
- Genesys Pulse can now report data for Context Services activities with the GMS collector integrating Data Depot and Genesys Pulse.
- Widgets now rapidly refresh statistics that have change-based notifications, at a speed depending on factors such as network speed, system load, and number of updates.
- Genesys Pulse now provides a migration tool to enable migration from releases 8.5.000 and 8.1.4 to release 8.5.010.

#### Helpful Links

#### Releases Info

- List of 8.5.x Releases
- 8.5.x Known Issues

**Product Documentation** 

Genesys Pulse

**Genesys Products** 

List of Release Notes

#### Resolved Issues

This release contains the following resolved issues:

Genesys Pulse now correctly displays the Utilization statistic from the eService Agent Activity template as a percentage. Previously in some scenarios, the statistic was incorrectly displayed as a string. (WBRT-4898)

Creating templates with a statistic that has its value set to Time Range 1 without specifying a Time Range value no longer causes an incorrect configuration. (WBRT-4854)

The Line chart now correctly displays data in scenarios when a connection problem occurred the first time data was loaded. (WBRT-4675)

Genesys Pulse now correctly displays truncated long values on the vertical axis of line charts. (WBRT-4568)

If you use MS SQL server for your Genesys Pulse database, a database lock no longer unexpectedly appears in certain scenarios. (WBRT-4546)

The Insensitivity field is now validated on the page to edit statistics. (WBRT-4406)

When a user switches between "By Group" and "By Individual Objects", the object tree now displays correctly. (WBRT-4349)

Genesys Pulse 3

Performance: Widgets used on the default dashboard do not remain in the system when the user's or default dashboard do not refer to them. (WBRT-4164)

### Upgrade Notes

Refer to the Deployment Procedure for this release to deploy the installation package within your environment.

## Supported Languages

See Release 8.5.1 Translation Support.

Genesys Pulse 4