



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Genesys Driver for use with Genesys Hub

9.1.015.02

5/12/2025

# 9.1.015.02

## Genesys Driver for use with Genesys Hub Release Notes

**9.x Genesys Driver for use with Genesys Hub** is part of 9.x starting in **9.1.000.02**.

Release Date	Release Type	Restrictions	AIX	Linux	Mac	Solaris	Windows
04/22/24	Update			X			X

### What's New

This release includes only resolved issues.

### Resolved Issues

This release contains the following resolved issues:

---

An additional fix has been added for MSGA-3948, initially fixed in the release version 9.1.014.01. Previously, regular expression considered `<client_id>` as number in the message "**<client\_id> changed from <from\_number> to <to\_number>**". Starting from version 9.1.015.02, the regular expression has been fixed to consider `<client_id>` as text. (MSGA-4090, MSGA-3948)

---

Re-authentication request is done only one time now instead of looping. Previously, when a token expired for initial HTTP request, the driver initiated re-authentication requests in an infinite loop until a non 401 response was received. (MSGA-4082)

---

### Helpful Links

#### Releases Info

- [List of 9.1.x Releases](#)
- [9.1.x Known Issues](#)

#### Product Documentation

- [Messaging Applications](#)

#### Genesys Products

- [List of Release Notes](#)

## Upgrade Notes

No special procedure is required to upgrade to release 9.1.015.02.