



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Microsoft Skype for Business Deployment Guide

IM Suppression

5/9/2025

IM Suppression

Currently routing and reporting is not able to operate correctly in a configuration where Skype for Business IM and Genesys eServices chat are handled by the same agents. To allow chat to be deployed for agents using Multimedia Connector for Skype for Business it is necessary to suppress T-Server reporting for IM interactions. IMs can then function normally, but without Genesys having any knowledge of IM events, which means that such events cannot be reported and IMs cannot be routed. Agents continue to be reachable by IM, but IM routing will not be handled by Genesys.

Availability

This feature requires:

- T-Server for Skype for Business version 8.5.001.65.
- Workspace Plugin for Skype for Business 8.5.001.01.

T-Server configuration

A new configuration option enables/disables this feature:

im-reporting

Section: TServer

Default Value: default

Valid Values: default, disabled

Changes Take Effect: After restart

Specifies the type of reporting for IM calls in T-Server:

- **default**—T-Server will generate reporting for IM calls with Media Type=5 in Genesys T-Library events
- **disabled**—T-Server will suppress reporting for IM calls.

The value of option is read only on start-up.

If no value is present, the default value is assumed.

This value will be synchronized from the primary to the backup T-Server and the state of reporting will not be changed after an HA switchover.

T-Library extension

A new T-Library extension supports this feature:

- **Keyname**—im-reporting
- **Type**—string
- **Valid values**—default, disabled
- **Used in**—EventRegistered / EventAddressInfo for every device.
- **Description**—The value of the extension indicates the mode of IM reporting currently configured in T-Server.
 - default—T-Server reports Skype for Business IM calls in T-Library reporting as calls with AttributeMediaType = 5.
 - disabled—T-Server does not generate reporting for Skype for Business IM calls.

Workspace configuration

- The Workspace Plugin for Skype for Business must be configured in parallel mode for this feature to function correctly. If it is configured in suppression mode, the following error is generated:
Current mode of GUI Suppression will result in IM message not seen by WDE GUI.
Please reconfigure plugin to Parallel mode.
- If the T-Server option **lync.sfb-window-state** is set to:
 - show, the conversation window will always be shown, whether it contains voice only or voice+IM.
 - hide, this will hide any conversation containing voice only. If an Agent had a voice-only call whose conversation window was hidden, then the call was escalated to add IM, the conversation window will be unhidden and will show both voice+IM.
- The T-Server DN-level option **multimedia** must be set to false or deleted, otherwise the IM button will still be displayed in WDE but will not function correctly.

Workspace plugin behavior when IM suppression is enabled

- For IM calls, the Agent will need to accept a Skype toast.
- No WDE interactions will be shown or transcripts recorded by UCS.
- For any calls which began as voice then were escalated to IM, the Skype for Business client conversation window will be popped up. The Agent can exchange IM only via the Skype for Business client conversation window.

Constraints

- IM calls will have to be controlled manually on the Skype for Business client when IM suppression is enabled.
- WDE must be running in parallel mode to use IM suppression. If WDE is running in suppression mode with this feature enabled, the agent will not receive any IMs.
- If the Skype for Business client displays a **Rejoin Skype Meeting** banner, the options it offers must not be selected because the Agent might connect to a unrelated call.

