

# **GENESYS**

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Workforce Management ETL Database Reference

**Query Examples** 

# Query Examples

This topic provides examples for the three types of queries that are used in the Workforce Management (WFM) ETL Database schema.

### Adherence Queries



WFM\_TEAM.WFM\_TEAM\_NAME
HAVING SUM(WFM\_ADH\_AGENT\_DAY.WFM\_SCHEDULE\_DURATION) > 0
ORDER BY
WFM\_BU.WFM\_BU\_NAME,
WFM\_SITE.WFM\_SITE\_NAME,
WFM\_ADH\_AGENT\_DAY.WFM\_DATE,
WFM\_TEAM.WFM\_TEAM\_NAME

## Schedule Queries

	Show query [+]
Schedule States Query	SELECT  WFM_SITE.WFM_SITE_NAME, WFM_TEAM.WFM_TEAM_NAME, WFM_AGENT.EMPLOYEE_ID, WFM_AGENT.LAST_NAME, WFM_SCH_AGENT_DAY.WFM_DATE, WFM_SCH_AGENT_DAY.WFM_DATE, WFM_SCH_AGENT_STATE_NAME, WFM_SCH_AGENT_STATE_WFM_FULL_DAY, WFM_SCH_AGENT_STATE.WFM_STATE_START, WFM_SCH_AGENT_STATE.WFM_STATE_DURATION, WFM_SCH_AGENT_STATE.WFM_STATE_DURATION, WFM_SCH_AGENT_STATE.WFM_PAID_DURATION FROM WFM_SCH_AGENT_STATE JOIN WFM_SCH_AGENT_DAY ON  (WFM_SCH_AGENT_DAY.WFM_SCH_AGENT_DAY_KEY) JOIN WFM_SCH_AGENT_DAY.WFM_SCH_AGENT_KEY) JOIN WFM_STATE_UPM_AGENT_AGENT_KEY  WFM_SCH_AGENT_DAY.WFM_AGENT_KEY) JOIN WFM_SITE_ON (WFM_SITE.WFM_SITE_KEY)  WFM_SCH_AGENT_DAY.WFM_SITE_WFM_SITE_KEY = WFM_SCH_AGENT_DAY.WFM_SITE_WFM_SITE_KEY = WFM_SCH_AGENT_DAY.WFM_SITE_WFM_SITE_KEY = WFM_SCH_AGENT_STATE_ON (WFM_TEAM.WFM_TEAM_KEY = WFM_AGENT.WFM_TEAM_KEY)  JOIN WFM_STATE_ON (WFM_STATE_WFM_STATE_KEY = WFM_SCH_AGENT_STATE.WFM_STATE_WFM_STATE_KEY = WFM_STATE_WFM_STATE_TYPE_KEY = WFM_STATE_WFM_STATE_TYPE_NAME NOT IN ('Shift', 'Activity_Set', 'Marked_Time') AND WFM_STATE_TYPE.WFM_STATE_TYPE_NAME NOT IN ('Shift', 'Activity_Set', 'Marked_Time') AND WFM_SCH_AGENT_STATE_WFM_STATE_STATE_START < ? ORDER BY WFM_SITE_WFM_SITE_NAME, WFM_SITE_WFM_SITE_WFM_STATE_START_START.WFM_SCH_AGENT_STATE_WFM_STATE_START, WFM_SCH_AGENT_STATE_WFM_STATE_START, WFM_SCH_AGENT_ST
Agent Schedule State Totals Query	Show query [+]  SELECT WFM_SITE.WFM_SITE_NAME, WFM_TEAM.WFM_TEAM_NAME,

WFM AGENT.FIRST NAME, WFM AGENT.LAST NAME, WFM\_AGENT\_LAST\_NAME,
WFM\_SCH\_AGENT\_DAY.WFM\_DATE,
SUM(WFM\_SCH\_AGENT\_STATE\_TIMESTEP.WFM\_STATE\_DURATION)
FROM WFM\_SCH\_AGENT\_STATE\_TIMESTEP
JOIN WFM\_SCH\_AGENT\_DAY\_ON
(WFM\_SCH\_AGENT\_DAY\_WFM\_SCH\_AGENT\_DAY\_KEY = (WFM\_SCH\_AGENI\_DAY.WFM\_SCH\_AGENI\_DAY\_KEY =
WFM\_SCH\_AGENT\_STATE\_TIMESTEP.WFM\_SCH\_AGENT\_DAY\_KEY)
JOIN WFM\_AGENT\_ON (WFM\_AGENT.AGENT\_KEY =
WFM\_SCH\_AGENT\_DAY.WFM\_AGENT\_KEY)
JOIN WFM\_SITE\_ON (WFM\_SITE.WFM\_SITE\_KEY =
WFM\_SCH\_AGENT\_DAY.WFM\_SITE\_KEY)
LEFT\_JOIN WFM\_TEAM\_ON (WFM\_TEAM.WFM\_TEAM\_KEY =
WFM\_AGENT\_WFM\_TEAM\_KEY)
JOIN WFM\_STATE\_ON (WFM\_STATE\_WFM\_STATE\_KEY = JOIN WFM\_STATE ON (WFM\_STATE.WFM\_STATE\_KEY = WFM\_SCH\_AGENT\_STATE\_TIMESTEP.WFM\_STATE\_KEY)
JOIN WFM\_SSG ON (WFM\_SSG.WFM\_SSG\_KEY = WFM\_STATE.WFM\_SSG\_KEY) WHERE WFM\_SCH\_AGENT\_DAY.WFM\_DATE >= ? AND WFM\_SCH\_AGENT\_DAY.WFM\_DATE <= ? GROUP BY WFM\_SITE.WFM\_SITE\_NAME, WFM\_TEAM.WFM\_TEAM\_NAME, WFM AGENT.FIRST NAME, WFM AGENT.LAST NAME, WFM\_SCH\_AGENT\_DAY.WFM\_DATE
ORDER BY WFM\_SITE.WFM\_SITE\_NAME, WFM\_TEAM.WFM\_TEAM\_NAME, WFM AGENT.FIRST NAME, WFM AGENT.LAST NAME, WFM\_SCH\_AGENT\_DAY.WFM DATE

#### Show query.. [+]

## **SELECT**

WFM BU.WFM BU NAME, WFM\_SITE.WFM\_SITE.NAME,
WFM\_TEAM.WFM\_TEAM\_NAME,
WFM\_SCH\_AGENT\_DAY.WFM\_DATE,
SUM(WFM\_SCH\_AGENT\_STATE\_TIMESTEP.WFM\_STATE\_DURATION)
FROM WFM\_SCH\_AGENT\_STATE\_TIMESTEP JOIN WFM\_SCH\_AGENT\_DAY ON WFM\_SCH\_AGENT\_DAY.WFM\_SCH\_AGENT\_DAY\_KEY =
WFM\_SCH\_AGENT\_STATE\_TIMESTEP.WFM\_SCH\_AGENT\_DAY\_KEY)
JOIN\_WFM\_AGENT\_ON\_(WFM\_AGENT.AGENT\_KEY =
WFM\_SCH\_AGENT\_DAY.WFM\_AGENT\_KEY) JOIN WFM\_SITE\_ON (WFM\_SITE.WFM\_SITE\_KEY = WFM\_SCH\_AGENT\_DAY.WFM\_SITE\_KEY) JOIN WFM BU ON (WFM BU.WFM BU KEY = WFM\_SITE.WFM\_BU\_KEY)
LEFT\_JOIN\_WFM\_TEAM\_ON (WFM\_TEAM.WFM\_TEAM\_KEY = WFM\_SCH\_AGENT\_DAY.WFM\_TEAM\_KEY) JOIN WFM\_STATE ON (WFM\_STATE.WFM\_STATE\_KEY = WFM\_SCH\_AGENT\_STATE\_TIMESTEP.WFM\_STATE\_KEY) JOIN WFM\_SSG ON (WFM\_SSG.WFM\_SSG\_KEY = WFM\_STATE.WFM\_SSG\_KEY) WHERE WFM\_SCH\_AGENT\_DAY.WFM\_DATE >= ? AND WFM\_SCH\_AGENT\_DAY.WFM\_DATE <= ?</pre> GROUP BY WFM BU.WFM BU NAME, WFM\_SITE.WFM\_SITE\_NAME, WFM\_TEAM.WFM\_TEAM\_NAME, WFM\_SCH\_AGENT\_DAY.WFM\_DATE ORDER BY WFM BU.WFM BU NAME, WFM\_SITE.WFM\_SITE\_NAME,

Team Schedule State Totals Query

	WFM_TEAM.WFM_TEAM_NAME, WFM_SCH_AGENT_DAY.WFM_DATE
Schedule Marked Time Report Query	Show query [+]  SELECT WFM_SITE.WFM_SITE_NAME, WFM_TEAM.WFM_TEAM_NAME, WFM_AGENT.FIRST_NAME, WFM_AGENT.LAST_NAME, WFM_SCH_AGENT_DAY.WFM_DATE, WFM_SCH_AGENT_STATE.WFM_STATE_START, WFM_SCH_AGENT_STATE.WFM_STATE_START, WFM_SCH_AGENT_STATE.WFM_STATE_DURATION, WFM_SCH_AGENT_STATE.WFM_STATE_DURATION, WFM_SCH_AGENT_STATE.WFM_STATE_DURATION FROM WFM_SCH_AGENT_DAY_ON  (WFM_SCH_AGENT_DAY.WFM_SCH_AGENT_DAY_KEY) JOIN WFM_SCH_AGENT_DAY.WFM_SCH_AGENT_DAY_KEY) JOIN WFM_SCH_AGENT_DAY.WFM_SCH_AGENT_KEY) JOIN WFM_STATE_ON (WFM_AGENT.KEY) JOIN WFM_SITE_ON (WFM_SITE.WFM_SITE_KEY = WFM_SCH_AGENT_DAY.WFM_SITE_KEY) LEFT JOIN WFM_TEAM_ON (WFM_TEAM.WFM_TEAM_KEY = WFM_AGENT.WFM_TEAM_ON (WFM_TEAM.WFM_TEAM_KEY = WFM_SCH_AGENT_STATE.WFM_STATE_KEY) JOIN WFM_STATE_ON (WFM_STATE.WFM_STATE_KEY = WFM_SCH_AGENT_STATE.WFM_STATE_KEY = WFM_SCH_AGENT_STATE.WFM_STATE_KEY = WFM_SCH_AGENT_STATE.WFM_STATE_STATE_KEY = WFM_STATE_STATE.WFM_STATE_STATE_KEY = WFM_STATE_STATE_WFM_STATE_STATE_KEY = WFM_STATE_STATE_WFM_STATE_STATE_KEY = WFM_STATE_STATE_WFM_STATE_STATE_STATE - WFM_STATE_STATE_WFM_STATE_START - WFM_SCH_AGENT_STATE_WFM_STATE_START - WFM_SCH_AGENT_STATE_WFM_STATE_START - WFM_SCH_AGENT_STATE_WFM_STATE_START - WFM_SCH_AGENT_STATE_WFM_STATE_START - WFM_SCH_AGENT_STATE_WFM_STATE_START, WF
Schedule Marked Time Totals Query (Daily Granularity)	SELECT WFM_SITE.WFM_SITE_NAME, WFM_TEAM.WFM_TEAM_NAME, WFM_AGENT.FIRST_NAME, WFM_AGENT.LAST_NAME, WFM_SCH_AGENT_DAY.WFM_DATE, SUM(WFM_SCH_AGENT_STATE.WFM_STATE_DURATION), SUM(WFM_SCH_AGENT_STATE.WFM_PAID_DURATION) FROM WFM_SCH_AGENT_DAY ON (WFM_SCH_AGENT_DAY ON (WFM_SCH_AGENT_DAY.WFM_SCH_AGENT_DAY_KEY) JOIN WFM_AGENT_TATE.WFM_SCH_AGENT_DAY_KEY) JOIN WFM_AGENT_ON (WFM_AGENT_KEY) JOIN WFM_AGENT_DAY.WFM_AGENT_KEY) JOIN WFM_SITE ON (WFM_SITE.WFM_SITE_KEY = WFM_SCH_AGENT_DAY.WFM_SITE.WFM_SITE_KEY = WFM_SCH_AGENT_DAY.WFM_SITE_WFM_SITE_KEY = WFM_SCH_AGENT_DAY.WFM_SITE_WFM_SITE_KEY = WFM_SCH_AGENT_DAY.WFM_SITE_KEY) JOIN WFM_TEAM_KEY) JOIN WFM_STATE ON (WFM_STATE_WFM_STATE_KEY = WFM_AGENT_WFM_TEAM_KEY) JOIN WFM_STATE ON (WFM_STATE_WFM_STATE_KEY = WFM_SCH_AGENT_STATE_WFM_STATE_KEY) JOIN WFM_STATE_TYPE ON

```
(WFM STATE TYPE.WFM STATE TYPE KEY =
                                                                                      WFM_STATE.WFM_STATE_TYPE_KEY)
                                                                                      WHERE
                                                                                      WFM STATE TYPE.WFM STATE TYPE NAME IN ('Marked Time')
                                                                                      AND
                                                                                      WFM_SCH_AGENT_STATE.WFM_STATE_END >= ? AND
                                                                                      WFM SCH AGENT STATE.WFM STATE START < ?
                                                                                      GROUP BY
                                                                                      WFM_SITE.WFM_SITE_NAME, WFM_TEAM.WFM_TEAM_NAME,
                                                                                      WFM AGENT.FIRST NAME,
                                                                                      WFM AGENT.LAST NAME,
                                                                                      WFM SCH AGENT DAY.WFM DATE
                                                                                      ORDER BY
                                                                                      WFM_SITE.WFM_SITE_NAME, WFM_TEAM.WFM_TEAM_NAME,
                                                                                      WFM_AGENT.FIRST_NAME,
                                                                                      WFM_AGENT.LAST_NAME,
                                                                                      WFM SCH AGENT DAY.WFM DATE
                                                                                      Show query.. [+]
                                                                                      SELECT
                                                                                      WFM_SITE.WFM_SITE_NAME, WFM_TEAM.WFM_TEAM_NAME,
                                                                                      WFM_AGENT.FIRST_NAME,
                                                                                      WFM_AGENT.LAST_NAME,
                                                                                      WFM_SCH_AGENT_LASI_NAME,
WFM_SCH_AGENT_STATE_TIMESTEP.WFM_TIME_STEP,
WFM_SCH_AGENT_STATE_TIMESTEP.WFM_STATE_DURATION
FROM WFM_SCH_AGENT_STATE_TIMESTEP

JOIN WFM_SCH_AGENT_DAY_ON

(WFM_SCH_AGENT_DAY.WFM_SCH_AGENT_DAY_KEY =
WFM_SCH_AGENT_STATE_TIMESTEP.WFM_SCH_AGENT_DAY_KEY)

JOIN WFM_AGENT_ON (WFM_AGENT_KEY)

WFM_SCH_AGENT_DAY_WFM_AGENT_KEY)
                                                                                      WFM_AGENT_DAY.WFM_AGENT.KEY =
WFM_SCH_AGENT_DAY.WFM_AGENT_KEY)
JOIN WFM_SITE ON (WFM_SITE.WFM_SITE_KEY =
WFM_SCH_AGENT_DAY.WFM_SITE_KEY)
LEFT_JOIN WFM_TEAM ON (WFM_TEAM.WFM_TEAM_KEY =
WFM_AGENT.WFM_TEAM_KEY)
Schedule Marked Time Totals Ouery (Time Step
Granularity)
                                                                                      JOIN WFM STATE ON (WFM STATE.WFM STATE KEY =
                                                                                      WFM_SCH_AGENT_STATE_TIMESTEP.WFM_STATE_KEY)
                                                                                      JOIN WFM_STATE_TYPE ON (WFM_STATE_TYPE.WFM_STATE_TYPE_KEY =
                                                                                      WFM_STATE.WFM_STATE_TYPE_KEY)
                                                                                      WHERE
                                                                                      WFM STATE TYPE.WFM STATE TYPE NAME IN ('Marked Time')
                                                                                      AND
                                                                                      WFM_SCH_AGENT_STATE_TIMESTEP.WFM_TIME_STEP >= ? AND
                                                                                      WFM_SCH_AGENT_STATE_TIMESTEP.WFM_TIME_STEP < ?</pre>
                                                                                      ORDER BY
                                                                                      WFM_SITE.WFM_SITE_NAME,
WFM_TEAM.WFM_TEAM_NAME,
WFM_AGENT.FIRST_NAME,
                                                                                      WFM_AGENT.LAST_NAME,
WFM_SCH_AGENT_STATE_TIMESTEP.WFM_TIME_STEP
                                                                                      Show query.. [+]
                                                                                      WFM_SITE.WFM_SITE_NAME, WFM_TEAM.WFM_TEAM_NAME,
                                                                                      WFM_AGENT.EMPLOYEE_ID,
Weekly Schedule Report Query
                                                                                      WFM_AGENT.FIRST_NAME,
                                                                                      WFM AGENT.LAST NAME,
                                                                                      WFM_SCH_AGENT_DAY.WFM_DATE, WFM_STATE.WFM_STATE_NAME,
                                                                                      WFM_SCH_AGENT_DAY.WFM_FULL_DAY,
                                                                                      WFM_SCH_AGENT_DAY.WFM_DAY_START,
```

```
WFM SCH AGENT DAY.WFM DAY END,
                                                                                     SUM(WFM SCH AGENT DAY.WFM SCHEDULE DURATION) AS
                                                                                     SCHEDULE DURATION,
SUM(WFM_SCH_AGENT_DAY.WFM_PAID_DURATION) AS
                                                                                     PAID DURATION,
                                                                                     SUM(WFM SCH AGENT DAY.WFM WORK DURATION) AS
                                                                                     WORK DURATION,
                                                                                     SUM(WFM SCH AGENT DAY.WFM OVERTIME DURATION) AS
                                                                                     OVERTIME DURATION
                                                                                     FROM WFM_SCH_AGENT_DAY
JOIN WFM_STATE ON (WFM_STATE.WFM_STATE_KEY =
                                                                                     WFM_SCH_AGENT_DAY.WFM_STATE_KEY)
                                                                                     JOIN WFM_SITE ON (WFM_SITE.WFM_SITE_KEY = WFM_SCH_AGENT_DAY.WFM_SITE_KEY)
JOIN WFM_AGENT ON (WFM_AGENT.WFM_AGENT_KEY =
                                                                                     WFM_SCH_AGENT_DAY.WFM_AGENT_KEY)
LEFT_JOIN_WFM_TEAM_ON_(WFM_TEAM.WFM_TEAM_KEY) =
                                                                                     WFM_AGENT.WFM_TEAM_KEY)
                                                                                     WFM_SCH_AGENT_DAY.WFM_DATE >= ? AND
WFM_SCH_AGENT_DAY.WFM_DATE <= ?
                                                                                     GROUP BY
                                                                                     WFM_SITE.WFM_SITE_NAME, WFM_TEAM.WFM_TEAM_NAME,
                                                                                     WFM AGENT.EMPLOYEE ID,
                                                                                     WFM_AGENT.FIRST_NAME,
                                                                                     WFM_AGENT.LAST_NAME,
WFM_AGENT.LAST_NAME,
WFM_SCH_AGENT_DAY.WFM_DATE,
WFM_STATE.WFM_STATE_NAME,
WFM_SCH_AGENT_DAY.WFM_DAY_START,
                                                                                     WFM SCH AGENT DAY.WFM DAY END,
                                                                                     WFM SCH AGENT DAY.WFM FULL DAY
                                                                                     ORDER BY
                                                                                     WFM_SITE.WFM_SITE_NAME, WFM_TEAM.WFM_TEAM_NAME,
                                                                                     WFM AGENT.EMPLOYEE ID,
                                                                                     WFM AGENT.FIRST NAME,
                                                                                     WFM AGENT. LAST NAME.
                                                                                     WFM_SCH_AGENT_DAY.WFM_DATE
                                                                                     Show query.. [+]
                                                                                     SELECT
                                                                                     WFM BU.WFM BU NAME,
                                                                                     WFM_SITE.WFM_SITE_NAME,
WFM_SCH_AGENT_STATE_TIMESTEP.WFM_TIME_STEP,
                                                                                     WFM_SSG.WFM_SSG_NAME,
SUM(WFM_SCH_AGENT_STATE_TIMESTEP.WFM_STATE_DURATION) /
                                                                                     15 AS WFM_SSG_TOTAL,
                                                                                     WFM_SSG.WFM_SSG_WEIGHT
                                                                                     FROM WFM_SCH_AGENT_STATE_TIMESTEP

JOIN WFM_SCH_AGENT_DAY ON

(WFM_SCH_AGENT_DAY.WFM_SCH_AGENT_DAY_KEY = WFM_SCH_AGENT_STATE_TIMESTEP.WFM_SCH_AGENT_DAY_KEY)

JOIN WFM_AGENT_ON (WFM_AGENT.AGENT_KEY = WFM_SCH_AGENT_DAY_KEY)
Schedule State Group (SSG) Totals Query
                                                                                     WFM_SCH_AGENT_DAY.WFM_AGENT_KEY)
                                                                                     JOIN WFM_SITE_ON (WFM_SITE.WFM_SITE_KEY = WFM_SCH_AGENT_DAY.WFM_SITE_KEY)
                                                                                     JOIN WFM_BU ON (WFM_BU.WFM_BU_KEY = WFM_SITE.WFM_BU_KEY)
                                                                                     JOIN WFM_STATE ON (WFM_STATE.WFM_STATE_KEY =
                                                                                     WFM_SCH_AGENT_STATE_TIMESTEP.WFM_STATE_KEY)
JOIN_WFM_SSG_ON (WFM_SSG.WFM_SSG_KEY =
                                                                                     WFM_STATE.WFM_SSG_KEY)
                                                                                     WHERE
                                                                                     WFM_SCH_AGENT_STATE_TIMESTEP.WFM_TIME_STEP >= '11/14/
2013' AND WFM_SCH_AGENT_STATE_TIMESTEP.WFM_TIME_STEP <
                                                                                      '11/15/2013'
                                                                                     AND WFM SITE.WFM SITE NAME = 'Sched Pot 4'
```

GROUP BY WFM BU.WFM BU NAME, WFM\_SITE.WFM\_SITE\_NAME,
WFM\_SCH\_AGENT\_STATE\_TIMESTEP.WFM\_TIME\_STEP, WFM\_SSG.WFM\_SSG\_NAME, WFM\_SSG.WFM\_SSG\_WEIGHT ORDER BY WFM SCH AGENT STATE TIMESTEP.WFM TIME STEP, WFM SSG.WFM SSG WEIGHT Show query.. [+] **SELECT** WFM\_BU.WFM\_BU\_NAME, WFM\_SITE.WFM\_SITE\_NAME, WFM\_ACTIVITY.WFM\_ACTIVITY\_NAME, WFM SCH AGENT STATE TIMESTEP.WFM TIME STEP, SUM(WFM\_SCH\_AGENT\_STATE\_TIMESTEP.WFM\_STATE\_DURATION) /
15 AS WFM\_ACTIVITY\_COVERAGE
FROM\_WFM\_SCH\_AGENT\_STATE\_TIMESTEP JOIN WFM\_SCH\_AGENT\_DAY ON (WFM\_SCH\_AGENT\_DAY\_WFM\_SCH\_AGENT\_DAY\_KEY = WFM\_SCH\_AGENT\_STATE\_TIMESTEP.WFM\_SCH\_AGENT\_DAY\_KEY)
JOIN\_WFM\_AGENT\_ON\_(WFM\_AGENT\_AGENT\_KEY = WFM\_SCH\_AGENT\_DAY.WFM\_AGENT\_KEY)

JOIN\_WFM\_SITE\_ON (WFM\_SITE.WFM\_SITE\_KEY = WFM\_SCH\_AGENT\_DAY.WFM\_SITE\_KEY) JOIN WFM BU ON (WFM BU.WFM BU KEY = WFM\_SITE.WFM\_BU\_KEY)
JOIN WFM\_STATE\_ON (WFM\_STATE.WFM\_STATE\_KEY = WFM\_SCH\_AGENT\_STATE\_TIMESTEP.WFM\_STATE\_KEY)
JOIN WFM\_STATE\_TYPE\_ON Activity Schedule Coverage Query (WFM\_STATE\_TYPE.WFM\_STATE\_TYPE\_KEY = WFM STATE.WFM STATE TYPE KEY) JOIN WFM\_ACTIVITY ON (WFM\_ACTIVITY.WFM\_ACTIVITY\_KEY = WFM\_STATE.WFM\_STATE\_ID AND WFM\_STATE\_TYPE.WFM\_STATE\_TYPE\_NAME = 'Activity') WFM\_SCH\_AGENT\_STATE\_TIMESTEP.WFM\_TIME STEP >= '11/14/ 2013' AND WFM\_SCH\_AGENT\_STATE\_TIMESTEP.WFM\_TIME\_STEP < '11/15/2013' AND WFM\_SITE.WFM\_SITE\_NAME = 'Sched Pot 4'
AND WFM\_ACTIVITY.WFM\_ACTIVITY\_NAME = 'Broadband Priority Care' GROUP BY WFM\_BU.WFM\_BU\_NAME, WFM\_SITE.WFM\_SITE\_NAME, WFM\_ACTIVITY.WFM\_ACTIVITY\_NAME,

## Performance Statistics Queries

Schedule Daily Summary for Activity

#### Show query.. [+]

WFM ACTIVITY.WFM ACTIVITY NAME

SELECT
WFM\_SITE.WFM\_SITE\_NAME,
WFM\_ACTIVITY.WFM\_ACTIVITY\_NAME,
WFM\_PERF\_ITEM\_DAY.WFM\_DATE,
WFM\_PERF\_ITEM.WFM\_PERF\_ITEM\_CODE,
SUM(WFM\_PERF\_ITEM\_DAY.WFM\_PERF\_ITEM\_VALUE)

WFM\_SCH\_AGENT\_STATE\_TIMESTEP.WFM\_TIME\_STEP ORDER\_BY\_WFM\_SCH\_AGENT\_STATE\_TIMESTEP.WFM\_TIME\_STEP,

```
FROM WFM PERF ITEM DAY
                                                                                                 JOIN WFM ACTIVITY ON (WFM ACTIVITY.WFM ACTIVITY KEY =
                                                                                                WFM_PERF_ITEM_DAY.WFM_ACTIVITY_KEY)
JOIN WFM_SITE_ON (WFM_SITE.WFM_SITE_KEY =
                                                                                                 WFM_ACTIVITY.WFM_SITE_KEY)
JOIN_WFM_PERF_ITEM_ON_(WFM_PERF_ITEM.WFM_PERF_ITEM_KEY
                                                                                                 = WFM PERF ITEM DAY.WFM PERF ITEM KEY)
                                                                                                WHERE
WFM_PERF_ITEM_DAY.WFM_DATE >= ? AND
WFM_PERF_ITEM_DAY.WFM_DATE <= ? AND
WFM_PERF_ITEM_DAY.WFM_DATE <= ? AND
WFM_PERF_ITEM.WFM_PERF_ITEM_CODE IN ('SCH_HEADCOUNT',
'SCH_SERVICE_PCT', 'FRC_CALC_SERVICE_PCT', 'SCH_IV',
'FRC_IV', 'SCH_AHT', 'FRC_AHT',
'FRC_CALC_MAN_HOURS', 'FRC_REQ_MAN_HOURS',
'SCH_MAN_HOURS', 'SCH_ASA', 'FRC_CALC_ASA',
'SCH_MAN_OCCUPANCY_PCT', 'FRC_CALC_MAX_OCCUPANCY_PCT')

CERUID RY
                                                                                                 GROUP BY
                                                                                                 WFM_SITE.WFM_SITE_NAME,
                                                                                                 WFM ACTIVITY.WFM ACTIVITY NAME,
                                                                                                 WFM_PERF_ITEM_DAY.WFM_DATE,
WFM_PERF_ITEM.WFM_PERF_ITEM_CODE
                                                                                                 ORDER BY
                                                                                                 WFM_SITE.WFM_SITE_NAME,
                                                                                                 WFM ACTIVITY.WFM ACTIVITY NAME,
                                                                                                WFM_PERF_ITEM_DAY.WFM_DATE,
WFM_PERF_ITEM.WFM_PERF_ITEM_CODE
                                                                                                 Show query.. [+]
                                                                                                 SELECT
                                                                                                 WFM_BU.WFM_BU_NAME,
                                                                                                 WFM_ACTIVITY.WFM_ACTIVITY_NAME,
                                                                                                WHM_PERF_ITEM_DAY.WFM_DATE,
WFM_PERF_ITEM_DAY.WFM_ERF_ITEM_CODE,
SUM(WFM_PERF_ITEM_DAY.WFM_PERF_ITEM_VALUE)
FROM WFM_PERF_ITEM_DAY
                                                                                                 JOIN WFM_ACTIVITY ON (WFM_ACTIVITY.WFM_ACTIVITY_KEY =
                                                                                                 WFM_PERF_ITEM_DAY.WFM_ACTIVITY_KEY AND
                                                                                                WFM_ACTIVITY.WFM_SITE_KEY IS NULL AND
WFM_ACTIVITY.WFM_ACTIVITY_TYPE_KEY <> 10)
JOIN_WFM_BU_ON_(WFM_BU.WFM_BU_KEY =
                                                                                                 WFM_ACTIVITY.WFM_BU_KEY)
                                                                                                 JOIN WFM_PERF_ITEM ON (WFM_PERF_ITEM.WFM_PERF_ITEM KEY
                                                                                                 = WFM_PERF_ITEM_DAY.WFM_PERF_ITEM_KEY)
Schedule Daily Summary for Multi-Site Activity
                                                                                                WHERE
WFM_PERF_ITEM_DAY.WFM_DATE >= ? AND
WFM_PERF_ITEM_DAY.WFM_DATE <= ? AND
WFM_PERF_ITEM.WFM_PERF_ITEM_CODE IN ('SCH_HEADCOUNT',
'SCH_SERVICE_PCT', 'FRC_CALC_SERVICE_PCT', 'SCH_IV',
'FRC_IV', 'SCH_AHT', 'FRC_AHT', 'FRC_CALC_FTE',
'FRC_REQ_FTE', 'SCH_FTE', 'SCH_ASA', 'FRC_CALC_ASA',
'SCH_MAX_OCCUPANCY_PCT', 'FRC_CALC_MAX_OCCUPANCY_PCT')
GROUP BY
(MSA)
                                                                                                 GROUP BY
                                                                                                 WFM_BU.WFM_BU_NAME,
                                                                                                 WFM_ACTIVITY.WFM_ACTIVITY_NAME,
                                                                                                 WFM_PERF_ITEM_DAY.WFM_DATE,
                                                                                                 WFM_PERF_ITEM.WFM_PERF_ITEM_CODE
ORDER BY
                                                                                                 WFM_BU.WFM_BU_NAME, WFM_ACTIVITY.WFM_ACTIVITY_NAME,
                                                                                                 WFM_PERF_ITEM_DAY.WFM_DATE,
                                                                                                 WFM PERF ITEM.WFM PERF ITEM CODE
                                                                                                 Show query.. [+]
                                                                                                 SELECT
Schedule Daily Summary for Activity Group (AG)
                                                                                                 WFM BU.WFM BU NAME.
                                                                                                 WFM_ACTIVITY.WFM_ACTIVITY NAME,
                                                                                                 WFM_PERF_ITEM_DAY.WFM_DATE,
```

```
WFM PERF ITEM.WFM PERF ITEM CODE,
                                                                                                   SUM(WFM_PERF_ITEM_DAY.WFM_PERF_ITEM_VALUE)
FROM WFM_PERF_ITEM_DAY
JOIN WFM_ACTIVITY_ON (WFM_ACTIVITY.WFM_ACTIVITY_KEY =
                                                                                                   WFM_PERF_ITEM_DAY.WFM_ACTIVITY_KEY_AND
WFM_ACTIVITY.WFM_SITE_KEY_IS_NULL_AND
WFM_ACTIVITY.WFM_ACTIVITY_TYPE_KEY = 10)
                                                                                                    JOIN WFM BU ON (WFM BU.WFM BU KEY =
                                                                                                    WFM ACTIVITY.WFM BU KEY)
                                                                                                   JOIN WFM_PERF_ITEM ON (WFM_PERF_ITEM.WFM_PERF_ITEM_KEY = WFM_PERF_ITEM_DAY.WFM_PERF_ITEM_KEY)
                                                                                                    WHERE
                                                                                                    WFM PERF ITEM DAY.WFM DATE >= ? AND
                                                                                                   GROUP BY
                                                                                                   WFM_BU.WFM_BU_NAME,
WFM_ACTIVITY_WFM_ACTIVITY_NAME,
                                                                                                    WFM_PERF_ITEM_DAY.WFM_DATE,
                                                                                                    WFM_PERF_ITEM.WFM_PERF_ITEM_CODE
                                                                                                    ORDER BY
                                                                                                    WFM BU.WFM BU NAME,
                                                                                                   WFM ACTIVITY. WFM ACTIVITY NAME,
                                                                                                   WFM_PERF_ITEM_DAY.WFM_DATE,
WFM_PERF_ITEM.WFM_PERF_ITEM_CODE
                                                                                                    Show query.. [+]
                                                                                                    SELECT
                                                                                                   WFM_BU.WFM_BU_NAME,
WFM_SITE.WFM_SITE_NAME,
                                                                                                   WFM_SITE.WFM_SITE NAME,
WFM_PERF_ITEM_DAY.WFM_DATE,
WFM_PERF_ITEM.WFM_PERF_ITEM_CODE,
SUM(WFM_PERF_ITEM_DAY.WFM_PERF_ITEM_VALUE)
FROM WFM_PERF_ITEM_DAY
JOIN WFM_SITE ON (WFM_SITE.WFM_SITE_KEY)
JOIN WFM_BU ON (WFM_BU.WFM_BU_KEY)
WFM_SITE_WFM_BU_KEY]
                                                                                                   WFM_SITE.WFM_BU_KEY)
                                                                                                    JOIN WFM_PERF_ITEM_ON (WFM_PERF_ITEM.WFM_PERF_ITEM_KEY = WFM_PERF_ITEM_DAY.WFM_PERF_ITEM_KEY)
                                                                                                    WHERE
                                                                                                   WFM_PERF_ITEM_DAY.WFM_DATE >= ? AND
Schedule Daily Summary for Site
                                                                                                   WFM_PERF_ITEM_DAY.WFM_DATE <= ? AND
WFM_PERF_ITEM_DAY.WFM_DATE <= ? AND
WFM_PERF_ITEM_MFM_PERF_ITEM_CODE IN ('SCH_HEADCOUNT',
'SCH_SERVICE_PCT', 'FRC_CALC_SERVICE_PCT', 'SCH_IV',
'FRC_IV', 'SCH_AHT', 'FRC_AHT', 'FRC_CALC_FTE',
'FRC_REQ_FTE', 'SCH_FTE', 'SCH_ASA', 'FRC_CALC_ASA',
'SCH_MAX_OCCUPANCY_PCT', 'FRC_CALC_MAX_OCCUPANCY_PCT')
                                                                                                    GROUP BY
                                                                                                    WFM_BU.WFM_BU_NAME,
                                                                                                   WFM_SITE.WFM_SITE_NAME,
WFM_PERF_ITEM_DAY.WFM_DATE,
                                                                                                   ...._.C.N__ITEM_UAY.WFM_DATE,
WFM_PERF_ITEM.WFM_PERF_ITEM_CODE
ORDER BY
                                                                                                    WFM BU.WFM BU NAME,
                                                                                                   WFM_SITE.WFM_SITE_NAME,
WFM_PERF_ITEM_DAY.WFM_DATE,
                                                                                                    WFM PERF ITEM.WFM PERF ITEM CODE
                                                                                                    Show query.. [+]
Schedule Intraday Summary for Activity
                                                                                                    SELECT
```

```
WFM SITE.WFM SITE NAME,
WFM ACTIVITY.WFM ACTIVITY NAME,
WFM_PERF_ITEM_TIMESTEP.WFM_TIME_STEP,
WFM_PERF_ITEM.WFM_PERF_ITEM_CODE,
SUM(WFM_PERF_ITEM_TIMESTEP.WFM_PERF_ITEM_VALUE)
FROM WFM_PERF_ITEM_TIMESTEP
JOIN WFM_PERF_ITEM_DAY ON
(WFM_PERF_ITEM_DAY.WFM_PERF_ITEM_DAY_KEY = WFM_PERF_ITEM_TIMESTEP.WFM_PERF_ITEM_DAY_KEY)
JOIN WFM_ACTIVITY ON (WFM_ACTIVITY_KEY = WFM_PERF_ITEM_DAY.WFM_ACTIVITY_KEY)
JOIN WFM_SITE_ON (WFM_SITE.WFM_SITE_KEY =
WFM_ACTIVITY.WFM_SITE_KEY)
JOIN_WFM_PERF_ITEM_ON_(WFM_PERF_ITEM_KEY)
 = WFM_PERF_ITEM_DAY.WFM_PERF_ITEM_KEY)
WHERE
WFM_PERF_ITEM_DAY.WFM_DATE = ? AND
WFM_PERF_ITEM.WFM_PERF_ITEM_CODE IN ('SCH_HEADCOUNT',
'SCH_SERVICE_PCT', 'FRC_CALC_SERVICE_PCT', 'SCH_IV',
'FRC_IV', 'SCH_AHT', 'FRC_AHT',
'FRC_CALC_STAFFING', 'FRC_REQ_STAFFING',
'SCH_COVERAGE', 'SCH_ASA', 'FRC_CALC_ASA',
'SCH_MAX_OCCUPANCY_PCT', 'FRC_CALC_MAX_OCCUPANCY_PCT')
GROUP BY
WFM SITE.WFM SITE NAME,
WFM ACTIVITY.WFM ACTIVITY NAME,
WFM_PERF_ITEM_TIMESTEP.WFM_TIME_STEP, WFM_PERF_ITEM.WFM_PERF_ITEM_CODE
ORDER BY
WFM PERF ITEM TIMESTEP.WFM TIME STEP,
WFM SITE.WFM SITE NAME,
WFM ACTIVITY.WFM ACTIVITY NAME
WFM_PERF_ITEM.WFM_PERF_ITEM_CODE
```

#### Show query.. [+]

## **SELECT** WFM BU.WFM BU NAME, WFM ACTIVITY WFM ACTIVITY NAME, WFM\_PERF\_ITEM\_TIMESTEP.WFM\_TIME\_STEP, WFM\_PERF\_ITEM.WFM\_PERF\_ITEM\_CODE, SUM(WFM\_PERF\_ITEM\_TIMESTEP.WFM\_PERF\_ITEM\_VALUE) FROM WFM\_PERF\_ITEM\_TIMESTEP JOIN WFM\_PERF\_ITEM\_DAY\_ON WFM\_PERF\_ITEM\_DAY.WFM\_PERF\_ITEM\_DAY\_KEY = WFM\_PERF\_ITEM\_TIMESTEP.WFM\_PERF\_ITEM\_DAY\_KEY) JOIN\_WFM\_ACTIVITY\_ON (WFM\_ACTIVITY.WFM\_ACTIVITY\_KEY = WFM\_PERF\_ITEM\_DAY.WFM\_ACTIVITY\_KEY\_AND WFM\_ACTIVITY.WFM\_SITE\_KEY IS NULL AND WFM\_ACTIVITY.WFM\_ACTIVITY\_TYPE\_KEY <> 10) JOIN WFM BU ON (WFM BU.WFM BU KEY = JOIN WFM PERF ITEM ON (WFM PERF ITEM.WFM PERF ITEM KEY) = WFM\_PERF\_ITEM\_DAY.WFM\_PERF\_ITEM\_KEY) WHERE WHERE WFM\_PERF\_ITEM\_DAY.WFM\_DATE = ? AND WFM\_PERF\_ITEM\_WFM\_PERF\_ITEM\_CODE IN ('SCH\_HEADCOUNT', 'SCH\_SERVICE\_PCT', 'FRC\_CALC\_SERVICE\_PCT', 'SCH\_IV', 'FRC\_IV', 'SCH\_AHT', 'FRC\_AHT', 'FRC\_CALC\_STAFFING', 'FRC\_REQ\_STAFFING', 'SCH\_COVERAGE', 'SCH\_ASA', 'FRC\_CALC\_ASA', 'SCH\_MAX\_OCCUPANCY\_PCT', 'FRC\_CALC\_MAX\_OCCUPANCY\_PCT') GROUP BY WFM BU.WFM BU NAME, WFM ACTIVITY.WFM\_ACTIVITY\_NAME, WFM\_PERF\_ITEM\_TIMESTEP.WFM\_TIME\_STEP, WFM\_PERF\_ITEM.WFM\_PERF\_ITEM\_CODE

WFM PERF ITEM TIMESTEP.WFM TIME STEP,

Schedule Intraday Summary for Multi-Site Activity (MSA)

WFM BU.WFM BU NAME, WFM ACTIVITY. WFM ACTIVITY NAME, WFM PERF ITEM.WFM PERF ITEM CODE Show query.. [+] **SELECT** WFM\_BU.WFM\_BU\_NAME, WFM ACTIVITY. WFM ACTIVITY NAME, WFM\_PERF\_ITEM\_TIMESTEP.WFM\_TIME\_STEP, WFM\_PERF\_ITEM.WFM\_PERF\_ITEM\_CODE, SUM(WFM\_PERF\_ITEM\_TIMESTEP.WFM\_PERF\_ITEM\_VALUE) FROM WFM\_PERF\_ITEM\_TIMESTEP
JOIN WFM\_PERF\_ITEM\_DAY ON (WFM\_PERF\_ITEM\_DAY.WFM\_PERF\_ITEM\_DAY\_KEY : WFM\_PERF\_ITEM\_TIMESTEP\_WFM\_PERF\_ITEM\_DAY\_KEY) JOIN WFM ACTIVITY ON (WFM ACTIVITY.WFM ACTIVITY KEY = WFM\_PERF\_ITEM\_DAY.WFM\_ACTIVITY\_KEY\_AND WFM\_ACTIVITY.WFM\_SITE\_KEY\_IS\_NULL\_AND WFM\_ACTIVITY.WFM\_ACTIVITY\_TYPE\_KEY = 10) JOIN WFM\_BU ON (WFM\_BU.WFM\_BU\_KEY = WFM ACTIVITY.WFM BU KEY) JOIN WFM\_PERF\_ITEM\_ON (WFM\_PERF\_ITEM.WFM\_PERF\_ITEM\_KEY = WFM\_PERF\_ITEM\_DAY.WFM\_PERF\_ITEM\_KEY) Schedule Intraday Summary for Activity Group (AG) WHERE WFM\_PERF\_ITEM\_DAY.WFM\_DATE = ? AND WFM\_PERF\_ITEM.WFM\_PERF\_ITEM\_CODE IN ('SCH\_HEADCOUNT', 'SCH\_SERVICE\_PCT', 'FRC\_CALC\_SERVICE\_PCT', 'SCH\_IV',
'FRC\_IV', 'SCH\_AHT', 'FRC\_AHT',
'FRC\_CALC\_STAFFING', 'FRC\_REQ\_STAFFING',
'SCH\_COVERAGE', 'SCH\_ASA', 'FRC\_CALC\_ASA',
'SCH\_MAX\_OCCUPANCY\_PCT', 'FRC\_CALC\_MAX\_OCCUPANCY\_PCT') GROUP BY WFM BU.WFM BU NAME, WFM\_ACTIVITY.WFM\_ACTIVITY\_NAME,
WFM\_PERF\_ITEM\_TIMESTEP.WFM\_TIME\_STEP, WFM\_PERF\_ITEM.WFM\_PERF\_ITEM\_CODE ORDER BY WFM PERF ITEM TIMESTEP.WFM TIME STEP, WFM BU.WFM BU NAME, WFM ACTIVITY.WFM ACTIVITY NAME, WFM\_PERF\_ITEM.WFM\_PERF\_ITEM\_CODE Show query.. [+] SELECT WFM BU.WFM BU NAME, WFM SITE.WFM SITE NAME, WFM\_SITE.WFM\_SITE NAME,
WFM\_PERF\_ITEM\_TIMESTEP.WFM\_TIME\_STEP,
WFM\_PERF\_ITEM.WFM\_PERF\_ITEM\_CODE,
SUM(WFM\_PERF\_ITEM\_TIMESTEP.WFM\_PERF\_ITEM\_VALUE)
FROM WFM\_PERF\_ITEM\_TIMESTEP

JOIN WFM\_PERF\_ITEM\_DAY\_ON

(WFM\_PERF\_ITEM\_DAY.WFM\_PERF\_ITEM\_DAY\_KEY =
WFM\_PERF\_ITEM\_TIMESTEP.WFM\_PERF\_ITEM\_DAY\_KEY)

JOIN WFM\_SITE\_ON (WFM\_SITE.WFM\_SITE\_KEY) Schedule Intraday Summary for Site WFM\_PERF\_ITEM\_DAY.WFM\_SITE\_KEY)
JOIN WFM\_BU **ON** (WFM\_BU.WFM\_BU\_KEY = WFM SITE.WFM BU KEY) JOIN WFM\_PERF\_ITEM\_ON (WFM\_PERF\_ITEM.WFM\_PERF\_ITEM\_KEY = WFM\_PERF\_ITEM\_DAY.WFM\_PERF\_ITEM\_KEY) WHERE WFM\_PERF\_ITEM\_DAY.WFM\_DATE = ? AND WFM\_PERF\_ITEM.WFM\_PERF\_ITEM\_CODE IN ('SCH\_HEADCOUNT', 'SCH SERVICE PCT', 'FRC CALC SERVICE PCT', 'SCH\_IV', 'FRC\_IV', 'SCH\_AHT', 'FRC\_AHT', 'FRC\_CALC\_STAFFING', 'FRC\_REQ\_STAFFING', 'SCH\_COVERAGE', 'SCH\_ASA', 'FRC\_CALC\_ASA',

```
'SCH_MAX_OCCUPANCY_PCT', 'FRC_CALC_MAX_OCCUPANCY_PCT')
                                                                                                       GROUP BY
                                                                                                       WFM BU.WFM BU NAME
                                                                                                      WFM SITE.WFM SITE NAME,
                                                                                                      WFM_PERF_ITEM_TIMESTEP.WFM_TIME_STEP,
WFM_PERF_ITEM.WFM_PERF_ITEM_CODE
                                                                                                       ORDER BY
                                                                                                      WFM_PERF_ITEM_TIMESTEP.WFM_TIME_STEP, WFM_BU.WFM_BU_NAME,
                                                                                                      WFM_SITE.WFM_SITE_NAME,
WFM_PERF_ITEM.WFM_PERF_ITEM_CODE
                                                                                                       Show query.. [+]
                                                                                                       SELECT
                                                                                                       WFM_TIME_STEP,
                                                                                                      WFM_IIME_SIEP,
WFM_SITE_WFM_SITE_NAME,
WFM_ACTIVITY_WFM_ACTIVITY_NAME,
WFM_PERF_ITEM_WFM_PERF_ITEM_CODE,
SUM(WFM_PERF_ITEM_TIMESTEP.WFM_PERF_ITEM_VALUE)
FROM WFM_PERF_ITEM_TIMESTEP
JOIN WFM_PERF_ITEM_DAY_ON
                                                                                                      WFM_PERF_ITEM_DAY_WFM_PERF_ITEM_DAY_KEY =
WFM_PERF_ITEM_TIMESTEP.WFM_PERF_ITEM_DAY_KEY)
JOIN_WFM_ACTIVITY_ON (WFM_ACTIVITY.WFM_ACTIVITY_KEY =
WFM_PERF_ITEM_DAY.WFM_ACTIVITY_KEY)
JOIN_WFM_SITE_ON (WFM_SITE_WFM_SITE_KEY =
                                                                                                      WFM_ACTIVITY.WFM_SITE_KEY)
JOIN_WFM_PERF_ITEM_ON_(WFM_PERF_ITEM_KEY)
Contact Center Performance Report for Activity
                                                                                                       = WFM_PERF_ITEM_DAY.WFM_PERF_ITEM_KEY)
                                                                                                       WHERE
                                                                                                      WFM_TIME_STEP >= ? AND WFM_TIME_STEP < ? AND WFM_PERF_ITEM.WFM_PERF_ITEM_CODE IN ('ACT_IV', 'ACT_ABANDONED_IV_PCT', 'ACT_AHT', 'ACT_ASA', 'ACT_IV', 'ACT_SERVICE_PCT')

GROUP_BY
                                                                                                       WFM_SITE.WFM_SITE_NAME,
                                                                                                       WFM_ACTIVITY.WFM_ACTIVITY_NAME,
                                                                                                      WFM_PERF_ITEM.WFM_PERF_ITEM_CODE,
WFM_PERF_ITEM_TIMESTEP.WFM_TIME_STEP
ORDER BY
                                                                                                      WFM_SITE.WFM_SITE_NAME,
WFM_ACTIVITY.WFM_ACTIVITY_NAME,
                                                                                                       WFM_PERF_ITEM_TIMESTEP.WFM_TIME_STEP,
                                                                                                       WFM_PERF_ITEM.WFM_PERF_ITEM_CODE
```