



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Administrator Extension Help

Roles

5/3/2025

Roles

Roles define what you can do in a given application. In Genesys Administrator Extension, roles and their privileges are controlled by the use of Role objects, which are assigned to **Users** (including Agents) and **Access Groups**. Roles are application-specific, and must be defined for each application that supports them.

In a hierarchical multi-Tenant configuration, only those Roles defined in the Environment Tenant can be used to allow Users to access all screens in Genesys Administrator Extension. Users cannot include Genesys Administrator Extension-specific privileges in Roles from other Tenants.

For more information about Roles, refer to the [Genesys 8.1 Security Deployment Guide](#). For a listing of Role Privileges for the Genesys Administrator Extension application, refer to [Role Privileges in the Genesys Administrator Extension Deployment Guide](#).

Display Options

The **Roles** list shows the Roles that are in your environment. It is sorted in a hierarchy by tenants, configuration units, sites, and folders. To view objects by a particular hierarchy, select the hierarchy type in the drop-down menu above the list.

Important

Roles that are disabled will appear grayed out in the list.

Configuration Manager respects tenancy permission settings. You can access only those objects that you have been granted permissions and privileges to access.

You can filter the contents of this list in two ways:

- Type the name or partial name of an object in the **Quick Filter** field.
- Click the cube icon to open the **Tenant Directory** filter panel. In this panel, click the Tenant that you want to select. Use the **Quick Filter** field in this panel to filter the Tenant list.

You can sort the items in the list by clicking a column head. Clicking a column head a second time reverses the sort order.

To select or de-select multiple objects at once, click **Select**.

Procedures

To [create a new Role object](#), click **New**. To view or edit details of an existing object, click on the name

of the object, or click the check box beside an object and click **Edit**. To delete one or more objects, click the check box beside the object(s) in the list and click **Delete**. You can also delete individual objects by clicking on the object and then clicking **Delete**. Otherwise, click **More** to perform the following tasks:

- **Clone**—Copy a Role.
- **Move To**—Move a Role to another [hierarchical structure](#).
- Enable or disable Roles.
- Create a folder, configuration unit, or site. See [Object Hierarchy](#) for more information.

Click on the name of a Role to view additional information about the object. You can also set [options](#) and [permissions](#).

Procedure: Creating Role Objects

Steps

1. Click **New**.
2. Enter the following information. For some fields, you can either enter the name of a value or click **Browse** to select a value from a list:
 - **Name**—The name of this Role. You must specify a value for this property, and that value must be unique within the Configuration Database (in an enterprise environment) or within the Tenant (in a multi-tenant environment).
 - **Description**—A brief description of this Role.
 - **Tenant**—In a multi-Tenant environment, the Tenant to which this object belongs. This value is automatically set to the Tenant that was specified in the **Tenant Directory** field in the object list.
 - **State Enabled**—If selected, indicates that the object is in regular operating condition and can be used without any restrictions.
3. In the **Role Members** tab, click **Add Access Group** to add an [Access Group](#), or **Add Person** to add a [User](#).
4. In the **Assigned Privileges** tab, select [role privileges](#) to add to this Role object.
5. Click **Save**.

Related Links

- [Skills](#)
- [Agent Groups](#)

Roles

- [Agent Groups](#)
- [Skills](#)
- [Access Groups](#)