

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Intelligent Automation Deployment Guide

VoiceBots

Contents

- 1 VoiceBots
 - 1.1 Integrate Intelligent Automation with Google Speech-to-Text
 - 1.2 Limitations
 - 1.3 Prerequisites

VoiceBots

VoiceBots (previously known as Cognitive IVR) uses Google Cloud Speech-to-Text to improve the performance of natural-language interfaces such as Dialog Engine. This makes it easier for callers to use spoken natural-language phrases to navigate through an Genesys Intelligent Automation application.

Warning

Please note that the customer is responsible for ensuring that the environment and bot applications they build are properly configured and secured according to PII and HIPAA requirements.

For example, a traditional IVR might have trouble interpreting the following phrase: "I would like to book a flight to Paris on Friday afternoon." Instead, the traditional IVR would need to ask several sequential questions to deduce the following information:

- What do you want to do? (Book a flight)
- Where do you want to travel? (Paris)
- When do you want to travel? (Friday afternoon)

However, VoiceBots can interpret and parse natural language so the customer can make the same one-sentence request without having to sequentially answer several questions: "I would like to **book** a **flight** to **Paris** on **Friday afternoon**."

Other than a new login screen, using VoiceBots does not affect how you use Genesys Intelligent Automation. You can build and use applications in the same way (but note the limitations below) and share the same database.

Integrate Intelligent Automation with Google Speech-to-Text

When setting up Intelligent Automation for use with voice, a start page is required.

Speech-to-Text Engine	Text-to-Speech Engine	Product	Version	Start Page	
Google Cloud for Speech Recognition	Nuance	Genesys Voice Platform	8 and 9	GenesysGVP8_Google	eSR_Vocalize
		PureConnect	2018R4 - 2019R2	Interactive_GoogleSR	₹_Vocalizer5.j
		PureConnect	2019R3 and above	Interactive_GoogleSR	<pre>_Vocalizer5_</pre>

Speech-to-Text Engine	Text-to-Speech Engine	Product	Version	Start Page	
	Google	Genesys Voice Platform	8 and 9	GenesysGVP8_Googl	eSR_GoogleS
		PureConnect	2018R4 - 2019R2	Interactive_GoogleSF	R_GoogleSS.js
		PureConnect	2019R3 and above	Interactive_GoogleSF	R_GoogleSS_J

The start page should contain the following parameters:

- testsiteid The ID of the application being provisioned.
- istestcall When set to *True*, the provisioning uses the test mode (the latest saved version) or the production mode (the latest deployed version) when set to *False*.
- authtoken This will be available from the **Company Details** page.
- mrcpversion This is an optional parameter. The default value is 1.

An example start page that uses GVP: http://<server>:<port>/fish-vui/start/ GenesysGVP8_GoogleSR_Vocalizer6.jsp?testsiteid=53&istestcall=true&authtoken=303a935e028b1aae234476fede

The RTP is streamed to Google STT and the resulting transcription is sent to Dialog Engine or DialogFlow for processing.

Limitations

The following limitations apply to the use of VoiceBots:

- Multimodal communication is not supported.
- The Release ASR API command for the Script block does not have any effect when using VoiceBots.
- WebIVR applications are not supported.
- For a given persona, the TTS language is also used for the speech-recognition language.

Prerequisites

To use VoiceBots with Genesys Intelligent Automation, the following prerequisites are needed.

Genesys Engage

- Genesys Voice Platform 9.0.019.68 or higher
- · Intelligent Automation v9.0.100 or higher

PureConnect

Important

From PureConnect 2019R3 onwards, Intelligent Automation v9.0.106 or higher is required.

- PureConnect 2018R4 or higher
- UniMRCP 1.5.0 or higher
- Google Speech Recognition plugin for UniMRCP
- Intelligent Automation v9.0.105 or higher