



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Intelligent Automation Help

Custom Natural Language Menu Dialogflow CX Chatbot Integration

Custom Natural Language Menu Dialogflow CX Chatbot Integration

Important

The Custom Natural Language Module is a licensed product in Intelligent Automation. Be sure to acquire and install the updated license prior to beginning the installation process. Directions for installing a license file in Flex License Manager can be found [here](#).

Important

The Custom Natural Language Module supports Dialogflow CX edition for chat features only.

The endpoint URL for Dialogflow CX is `https://<region-prefix-if other than US>.dialogflow.googleapis.com/<api-version>/projects/my-project-id/locations/<my region>/agents/my-agent-id/environments/<my environment id>/sessions/<my-session-id>:detectIntent`, where:

- <API version> is v3 or v3beta1 (Check the API reference at <https://cloud.google.com/dialogflow/cx/docs/reference/rest>.)
- <my-project-id> is your project ID in Dialogflow CX Console.
- <my region> is your region in Dialogflow CX Console.
- <my-agent-id> is the agent ID from Dialogflow CX Console.
- <my environment id> is your environment id and also an optional value.
- <my-session-id> is the session ID that is created during runtime in the **Start dialog engine session** script block in **Custom Natural Language Menu**.

Important

You can get the endpoint URL information from the Project Overview screen in Dialogflow console. Select the project from the **Project** dropdown, then select the agent from the **Menu** icon and click **Copy ID**.

You can specify an environment for runtime session calls, like *detectIntent*, *streamingDetectIntent*, *matchIntent*, and session entity calls. To specify an environment, alter the endpoint URL by inserting `environments/environment-id` between the agent and sessions path parameters.

For example, the following endpoint uses the 6db409d7-57ac-41d7-83bd-89b8768e2745 environment ID: `https://dialogflow.googleapis.com/v3beta1/projects/my-project-id/locations/us/agents/my-agent-id/environments/6db409d7-57ac-41d7-83bd-89b8768e2745/sessions/my-session-id:detectIntent`

If an environment is not specified, the default environment is used.

Important

You can get the environment ID from the following path in Dialogflow Console: **Project > Agent > Manage > Environments**. See [versions and environments](#) in Google Dialogflow CX documentation.

You can also include these values as module parameters and build the URL to access the endpoint. You can then include a script that reads the parameters and constructs the Base URL:

```
def sLanguageCode = context.getVariable("LanguageCode");
def sAPIVersion = context.getVariable("GoogleCXAPIVersion");
def sGoogleCXProjectID = context.getVariable("GoogleCXProjectID");
def sLocations = context.getVariable("GoogleCXRegion");
def sAgentID = context.getVariable("GoogleCXAgentID");
def sEnvironmentID = context.getVariable("GoogleCXEnvironmentID");

def sBASE_API_URL = "https://europe-west1-dialogflow.googleapis.com/" + sAPIVersion +
"/projects/" + sGoogleCXProjectID + "/locations/" + sLocations + "/agents/" + sAgentID +
"/environments/" + sEnvironmentID + "/sessions/" + sSessionID +
":detectIntent?access_token="+sToken;
```

Sample scripts

These scripts can be used as a starting point to build your custom scripts:

- [Trigger the default welcome for the default intent](#)
- [Perform natural language interpretation](#)