



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Customer Experience Insights User's Guide

Agent Not Ready Report

5/10/2025

Contents

- 1 Agent Not Ready Report
 - 1.1 Understanding the Agent Not Ready Report
 - 1.2 Prompts for the Agent Not Ready Report
 - 1.3 Attributes used in the Agent Not Ready Report
 - 1.4 Metrics used in the Agent Not Ready Report

Agent Not Ready Report

This page describes how you can use the (**Agents** folder) Agent Not Ready Report to learn more about the time agents spend in the Not Ready State.

Understanding the Agent Not Ready Report

Agent Not Ready Report													
Tenant	Media Type	Agent Name	Interaction Type	Hour	Active Time (Fmt)	Not Ready Time (Fmt)	Not Ready In	Not Ready In Time (Fmt)	Not Ready Out	Not Ready Out Time (Fmt)	% Not Ready Time	% Not Ready In Time	% Not Ready Out Time
Environment	Voice	, A6001_sip (A6001_sip)	Inbound	2011-04-11 12	00:17:27	00:00:00		00:00:00		00:00:00	0.00%	0.00%	0.00%
				2011-04-11 13	00:12:38	00:06:19		00:00:00		00:00:00	50.00%	0.00%	0.00%
			Internal	2011-04-11 12	00:17:27	00:00:00	0	00:00:00	0	00:00:00	0.00%	0.00%	0.00%
				2011-04-11 13	00:12:38	00:06:19	0	00:00:00	3	00:01:45	50.00%	0.00%	27.70%
			Outbound	2011-04-11 12	00:17:27	00:00:00		00:00:00		00:00:00	0.00%	0.00%	0.00%
				2011-04-11 13	00:12:38	00:06:19		00:00:00		00:00:00	50.00%	0.00%	0.00%
		, A6002_sip (A6002_sip)	Unknown	2011-04-11 12	00:17:27	00:00:00		00:00:00		00:00:00	0.00%	0.00%	0.00%
				2011-04-11 13	00:12:38	00:06:19		00:00:00		00:00:00	50.00%	0.00%	0.00%
			Inbound	2011-04-11 12	00:13:42	00:00:10		00:00:00		00:00:00	1.22%	0.00%	0.00%
				2011-04-11 13	00:12:03	00:05:33		00:00:00		00:00:00	46.06%	0.00%	0.00%
			Internal	2011-04-11 12	00:13:42	00:00:10	0	00:00:00	0	00:00:00	1.22%	0.00%	0.00%
				2011-04-11 13	00:12:03	00:05:33	0	00:00:00	0	00:00:00	46.06%	0.00%	0.00%
		, A6003_sip (A6003_sip)	Outbound	2011-04-11 12	00:13:42	00:00:10		00:00:00		00:00:00	1.22%	0.00%	0.00%
				2011-04-11 13	00:12:03	00:05:33		00:00:00		00:00:00	46.06%	0.00%	0.00%
			Unknown	2011-04-11 12	00:13:42	00:00:10		00:00:00		00:00:00	1.22%	0.00%	0.00%
				2011-04-11 13	00:12:03	00:05:33		00:00:00		00:00:00	46.06%	0.00%	0.00%
			Inbound	2011-04-11 12	00:11:02	00:01:47		00:00:00		00:00:00	16.16%	0.00%	0.00%
				2011-04-11 13	00:11:59	00:10:41		00:00:00		00:00:00	89.15%	0.00%	0.00%
		, A6004_sip (A6004_sip)	Internal	2011-04-11 12	00:11:02	00:01:47	0	00:00:00	0	00:00:00	16.16%	0.00%	0.00%
				2011-04-11 13	00:11:59	00:10:41	0	00:00:00	0	00:00:00	89.15%	0.00%	0.00%
		, A6005_sip (A6005_sip)	Inbound	2011-04-11 12	00:11:02	00:01:47		00:00:00		00:00:00	16.16%	0.00%	0.00%
				2011-04-11 13	00:11:59	00:10:41		00:00:00		00:00:00	89.15%	0.00%	0.00%

This report provides detailed information about the time agents spend in the NotReady state.

Use this report to monitor the counts, durations, and percentages of calls that are made and received by an agent, while that agent's state is NotReady, during a range of hours that you specify within a particular day.

This report shows data only about interactions that occur at agent DNs during active sessions, and about the status of DNs associated with active agent sessions. To expand the report to include interactions that occur at DNs not associated with the agent, and the status of DNs not associated with the agent, contact your Genesys representative.

To get a better idea of what this report looks like, view sample output from the report:

[SampleAgentNotRdyReport.pdf](#)

The following tables explain the prompts you can select when you generate the report, and the metrics and attributes that are represented in the report:

Prompts for the Agent Not Ready Report

Prompt	Description
Pre-set Day Filter	Choose from the convenient list of predefined rolling time ranges, spanning one day or more, over which to run the report.
Report Date	Choose a day for which to run the report.
Agent Group	Optionally, select one or more groups from which to gather data for the report.
Agent	Optionally, select one or more agents to include in the report.
Media Type	Optionally, select the type of media to include in the report—for example, VOICE, EMAIL, and CHAT.
Interaction Type	Optionally, select the type of interaction to include in the report—for example, Inbound, Outbound, and Internal.
Tenant	For multi-tenant environments, optionally select the tenant(s) for which to include data in the report.

Attributes used in the Agent Not Ready Report

Attribute	Description
Tenant	This attribute enables data within the reporting interval to be organized by tenant.
Media Type	This attribute enables data to be organized by the interaction's media type—for example, VOICE, EMAIL, and CHAT.
Agent Name	This attribute enables data to be organized by certain attributes of the agent who is associated with the interaction.
Interaction Type	This attribute enables data to be organized by the interaction's type—for example, Inbound, Outbound, and Internal.
Hour	This attribute enables data within the reporting interval to be organized by a particular hour within a day. Hour values are presented in YYYY-MM-DD-HH24 format.

Metrics used in the Agent Not Ready Report

Metric	Description
Active Time (Fmt)	<p>The total amount of time, in seconds, attributable to the interval between the beginning and end of this agent's login session(s) on a particular media channel. In the scenario in which an agent logs into multiple switches, DN's, and/or queues, this metric starts at the moment when the agent logs in to the first switch/DN/queue (if this login falls within the interval) and ends at the moment when the agent is no longer logged in to any switch/DN/queue (if logout falls within the interval).</p> <p>If the agent is not forcibly logged out when the calendar day ends, login duration is split over both days.</p>
Not Ready Time (Fmt)	<p>The total amount of time (HH:MM:SS) within the interval that this agent was in the NotReady state for a particular media channel (including Do Not Disturb duration, if configured) regardless of whether a reason was indicated.</p>
Not Ready In	<p>The total number of times that this agent was handling customer calls that were accepted while the agent was in the NotReady state.</p>
Not Ready In Time (Fmt)	<p>The total amount of time (HH:MM:SS) that this agent was handling customer interactions that the agent received while the agent was in the NotReady state. This time includes the alert (ring) time of the accepted interactions.</p>
Not Ready Out	<p>The total number of times that this agent initiated outbound or internal interactions while in the NotReady state. The count excludes consultations that the agent participated in while in NotReady state.</p>
Not Ready Out Time (Fmt)	<p>The total amount of time (HH:MM:SS) that this agent spent handling outbound or internal interactions that the agent initiated while in the NotReady state. This duration includes dial time, engagement time, and hold time and excludes consultations that the agent participated in while in NotReady state.</p>
% Not Ready Time	<p>The percentage of time within the interval that this agent's state was NotReady, relative to the total duration within the interval of the agent's active session on a particular media channel.</p>
% Not Ready In Time	<p>The percentage of time that this agent spent on customer interactions that were accepted within the interval while the agent was in the NotReady state, relative to the agent's total NotReady duration within the interval for a particular media channel.</p> <p>Consultations and collaborations that the agent receives while in the NotReady state are excluded from this percentage.</p>
% Not Ready Out Time	<p>The percentage of time that this agent spent on customer interactions that were dialed within the interval while the agent was in the NotReady state, relative to the agent's total NotReady duration within the interval.</p>

This report provides meaningful data for the In and Out metrics only if the ICON application that is supplying data to the Info Mart database is configured to recognize uninterrupted ACW and NotReady states (**gls-enable-acwbusy**). In situations where agents indicate they are ready when in fact they are handling calls, the % Not Ready In Time and % Not Ready Out Time metrics may exceed 100%.