

# **GENESYS**

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

## Web Services API Reference

SetCallDisposition

# SetCallDisposition

This operation is part of the Voice API section of the Web Services API.

#### Overview

Sets the disposition for the specified call. If the call is active at the time of the request, Web Services processes it by updating the key in the user data. If the call has already been released, then Web Services sends the EventUserEvent to propagate the disposition to the reporting solution.

Request URL	/api/v2/me/calls/{id}
HTTP method	POST
Required features	api-voice

#### Parameters

Parameter	Value
operationName	SetCallDisposition
callUri	The URI of the call to disposition.
callUuid	The UUID of the call to disposition. You can get this from the call resource.
disposition	A string value for the call disposition.
dispositionKey	An optional string value for the userdata key for the call disposition. If not specified, Web Services uses the disposition key configured for the server.

### Sample

#### Request

```
POST api/v2/me/calls/01RCC3N118B1V0SL807GK2LAES000006
{
    "operationName": "SetCallDisposition",
    "callUri": "http://127.0.0.1:8080/api/v2/calls/01RCC3N118B1V0SL807GK2LAES000006",
    "callUuid": "01RCC3N118B1V0SL807GK2LAES000006",
    "disposition": "Referred",
    "dispositionKey": "DispositionCode"
}
```

#### HTTP response

```
{
   "statusCode": 0
}
```

#### CometD notification

If you send this request is sent while the call is still active, Web Services delivers a CallStateChangeMessage. If the call has been released, there is no notification.

```
{
   "data":{
      "notificationType": "AttachedDataChanged",
         "id":"01RCC3N118B1V0SL807GK2LAES000006",
         "state": "Established",
         "callUuid": "01RCC3N118B1V0SL807GK2LAES000006",
         "connId":"0071027198180006",
         "deviceUri": "http://127.0.0.1:8080/api/v2/devices/631608b3-ceb1-472b-
ba05-2ae39555b0d1",
         "participants":[
               "e164Number":"",
               "formattedPhoneNumber":"15001",
               "phoneNumber": "15001",
               "digits":"15001"
            }
         "dnis":"15000",
         "callType": "Internal",
         "capabilities":[
            "UpdateUserData",
            "SendDtmf",
            "InitiateConference",
            "Hold",
            "SingleStepTransfer",
            "InitiateTransfer",
            "AttachUserData",
            "DeleteUserDataPair"
            "SingleStepConference",
            "DeleteUserData",
            "Hangup"
         "userData":{
            "DispositionCode": "Referred"
         "duration": "262",
         "mute":"Off"
         "supervisorListeningIn":false,
         "monitoredUserMuted":false,
         "monitoring":false,
         "uri": "http://127.0.0.1:8080/api/v2/me/calls/01RCC3N118B1V0SL807GK2LAES000006",
         "path": "/calls/01RCC3N118B1V0SL807GK2LAES000006"
      },
       'phoneNumber":"15000",
      "messageType":"CallStateChangeMessage"
   "channel":"/v2/me/calls"
}
```